

 **Patons**

235


PRICE
Patons
\$5.50

BABY CHOICE

23 designs,
traditional and
modern,
to make in
Patons
Fairytale or
Beehive

special
stitchcraft
series






1

ALL THINGS BRIGHT...



BABY SHOW





4





FOR A GREAT OCCASION...


Two lovely shawls – one to crochet, one to knit, and a delicate lacy christening dress with ribbon trimming which you can make to a long or short length.





BUNNIES FOR BABY

An all-in-one and a hooded jacket
with simple bunny motifs make a
warm and attractive outfit.



BABY CHOICE

Caution

It is essential to work to the stated tension, and Patons and Baldwins Limited cannot accept responsibility for the finished product if any yarn other than the recommended Patons yarns is used.

Abbreviations

K=knit; P=purl; KB=knit into back of stitch; PB=purl into back of stitch; st=stitch.

sL1K=slip 1 stitch knitways; sL2K=slip 2 stitches knitways one at a time; sL1P=slip 1 stitch purlways; sL2P=slip 2 stitches purlways one at a time.

yfwd=yarn forward; yrn=yarn round needle; kyft=keeping yarn at front, kyb=keeping yarn at back; yon=yarn on needle.

pssso=pass slip stitch over; p2sso=pass 2 slipped stitches over; tog=together; tbl=through back of loops.

inc=increase by working into front and back of stitch; dec=decrease by working 2 stitches together.

beg=beginning; alt=alternate; rep=repeat; patt=pattern; cm=centimetres; in=inches; mm=millimetres; 0=no sts, rows or times.

M1=make 1 stitch by picking up horizontal loop lying before next stitch and working into back of it.

M1K=make 1 knitways by picking up loop that lies between st just worked and following st and **knitting** into back of it.

ch=chain; dc=double crochet; tr=treble; htr=half treble; yrh=yarn round hook; sp=space; ss=slip stitch.


Pressing instructions

Beehive DK and 4 ply—Do not press.

Fairytale DK, QK, 4 ply, 3 ply and 2 ply—With wrong side of work facing, block each piece by pinning out round edges; and omitting ribbing and garter stitch, press lightly following instructions on the ball band.

Instructions for making a simple yarn cord:
Get a friend to help and measure off required

lengths of yarn. Knot ends together, insert pencil at each end in front of knot between lengths of yarn (Diag. A). Facing each other and holding yarn together between thumb and finger in front of knot, turn pencil clockwise (B). Continue until strands are tightly twisted, then bring pencils together and allow cord to twist (C). Remove pencils and knot ends.



1

Sweater and romper suit

Materials: **Sweater:** Patons Beehive Knits 4 ply, 2 [2] (50 gram) balls, **Rompers:** Patons Beehive Double Knitting, 3 [3] (50 gram) balls in Main Shade and 1 [1] (50 gram) ball in Contrast, or **Sweater:** Patons Fairytale 4 ply, 4 [5] (20 gram) balls; **Rompers:** Patons Fairytale Double Knitting, 6 [7] (20 gram) balls in Main Shade and 3 [3] (20 gram) balls in Contrast.

Pair each Nos 3 mm, 3¼ mm and 3¾ mm Milward needles. Needle sizes quoted are Metric: equivalent UK sizes are No 11 for 3 mm, No 10 for 3¼ mm and No 9 for 3¾ mm.

No 3-50 mm (9) Milward crochet hook.

3 small buttons for Sweater.

6 small buttons for Rompers.

Measurements: To fit chest 46 [51] cm (18 [20] in); garment measures 46 [51] cm (18 [20] in); **Sweater:** length from top of shoulders, 24 [27] cm (9½ [10½] in); sleeve seam, 15 [18] cm (6 [7] in); **Rompers:** length from top of shoulders, approx 41 [44] cm (16 [17½] in).

Tension: **Sweater:** On No 3¾ mm needles, 26

sts and 34 rows to 10 cm (stocking stitch) using 4 ply.

Rompers: On No 3¾ mm needles, 23 sts and 31 rows to 10 cm (stocking stitch) using Double Knitting.

For notes and abbreviations, see above.

Special abbreviations

MS=Main Shade; C=Contrast.

Note

When working patt from chart, strand yarn not in use loosely across wrong side of work over not more than 3 sts at a time to keep fabric elastic. Read odd rows K from right to left and even rows P from left to right.

Sweater

BACK

With No 3 mm needles, cast on 60 [68] sts and work in K1, P1 rib for 3 cm inc 1 st at end of last row (61 [69] sts).

Change to No 3¾ mm needles and starting with a K row, work in stocking stitch until Back measures 13 [14] cm, ending with right side facing for next row.

Shape raglans by casting off 2 sts at beg of next 2 rows. **Next row**—K1, K2togtbl, K to last 3 sts, K2tog, K1. Work 1 [3] rows. **Next row**—K1, K2togtbl, K to last 3 sts, K2tog, K1. **Next row**—P.

Rep last 2 rows until 49 [51] sts remain, thus ending with a P row.

Divide for back opening: **Next row**—K1, K2togtbl, K21 [22], turn and leave remaining sts on a spare needle.

Continue on these 23 [24] sts for first side, dec 1 st as before at raglan edge on every alt row until 10 [12] sts remain, ending with a P row. Leave these sts on a length of yarn.

With right side facing, rejoin yarn to 25 [26] sts on spare needle, cast off 1 st, K to last 3 sts, K2tog, K1.

Work to match first side, reversing shapings.

FRONT

Work as for Back until 31 [39] sts remain in raglan shaping, ending with a P row.

Divide for neck: **Next row**—K1, K2togtbl, K6 [9], turn and leave remaining sts on a spare needle.

Continue on these 8 [11] sts for first side, dec 1 st at neck edge on next and following 1 [2] alt rows, **at the same time** dec 1 st at raglan edge on every alt row from previous dec until 5 [6] sts remain.

Continue dec as before at raglan edge **only** until 3 sts remain. **Next row**—K1, K2togtbl. **Next row**—P. **Next row**—K2tog and fasten off.

With right side facing, leave centre 13 [15] sts on a length of yarn, rejoin yarn to remaining sts, K to last 3 sts, K2tog, K1.

Work to match first side, reversing shapings.


SLEEVES

With No 3 mm needles, cast on 32 [36] sts and work in K1, P1 rib for 3 cm.

Next row—Rib 4 [3], (M1, rib 5 [6]) 5 times, M1, rib to end (38 [42] sts).

Change to No 3¾ mm needles and starting with a K row, work in stocking stitch, shaping sides by inc 1 st at each end of 5th and every following 5th [8th] row until there are 50 [52] sts.

Work straight until sleeve seam measures 15 [18] cm, ending with right side facing for next row.



Shape raglans by casting off 2 sts at beg of next 2 rows. **Next row**—K1, K2togtbl, K to last 3 sts, K2tog, K1. **Next row**—P.

Rep last 2 rows until 16 [8] sts remain, ending with a P row.

Next row—K1, K2togtbl, K to last 3 sts, K2tog, K1. **Next row**—P1, P2tog, P to last 3 sts, P2togtbl, P1.

Rep last 2 rows 2 [0] times more (4 sts).

Leave these sts on a safety-pin.

MAKE UP AND BORDERS

For pressing instructions, see first page of text.

Join raglan, side and sleeve seams.

Neck Border: With right side facing and No 3 mm needles, starting at top of left back opening, work as follows: K11 [12] sts across left back, 4 from safety-pin, **knit up** 11 [13] sts down left side of neck, K13 [15] from centre, **knit up** 11 [13] sts up right side of neck, K4 from safety-pin, then 11 [12] across right back (65 [73] sts).

Work in P1, K1, rib for 5 cm, rows on **wrong** side having a P1 at each end.

Using a No 3¼ mm needle, cast off loosely in rib.

Fold Neck Border in half to wrong side and slip-hem loosely in position.

Back Border: With right side facing for first row and crochet hook, work 2 rows dc all round back opening, working 3 buttonloops on 2nd row evenly spaced on right side of opening. Fasten off.

To make a buttonloop: 2ch, miss 1dc.

Sew on buttons.

Rompers

RIGHT LEG

** With No 3¼ mm needles and MS, cast on 69 [73] sts and starting with a K row, work in stocking stitch for 5 cm, ending with right side facing for next row.**

Shape as follows: **1st row**—K6 [8], turn. **2nd and every alt row**—P to end. **3rd row**—K12 [14], turn. **5th row**—K18 [20], turn.

Continue in this way, working 6 sts more on every alt row until the row 'K30 [32], turn' has been worked.

Next row—P to end. **Next row**—K across all sts. **Next row**—P.

*** Continue in stocking stitch until work measures 18 [20] cm measured at short edge, ending with right side facing for next row.

Shape leg by casting off 3 sts at beg of next 2 rows (63 [67] sts).

Work straight until work measures 4 cm from cast off rows, ending with right side facing for next row. Break MS.

Change to No 3¼ mm needles, join in C and K 1 row. Now work 15 rows in P1, K1 rib, rows on **wrong** side will have a P1 at each end.

Cast off loosely in rib.

LEFT LEG

Work as for Right Leg from ** to **.

Next row—K.

Shape as follows: **1st row**—P6 [8], turn. **2nd and every alt row**—K to end. **3rd row**—P12 [14], turn. **5th row**—P18 [20], turn.

Continue in this way, working 6 sts more on every alt row until the row 'P30 [32], turn' has been worked. **Next row**—K to end. **Next row**—P across all sts. **Next row**—K.

Work to match Right Leg from *** to end. Join front seam.

With right side facing, No 3¼ mm needles and MS, **knit up** 124 [136] sts across both legs and work 11 rows garter stitch (every row K), thus ending with right side facing for next row.

Divide for Front and Back as follows: **Next row**—Break yarn, slip 31 [34] sts on a length of yarn, rejoin yarn to remaining sts, K62 [68], slip remaining 31 [34] sts on a length of yarn.

Change to No 3¼ mm needles, continue on these 62 [68] sts for Front and starting with a P row, work 7 rows stocking stitch.

Joining in C as required, work in patt from chart as follows: **1st row**—K8 [11]MS, K43 as 1st row of chart, K11 [14]MS. **2nd row**—P11 [14]MS, P43 as 2nd row of chart, P8 [11]MS.

Continue thus, working appropriate rows from chart until the 7 rows have been completed. Break C. Work 1 row.

Shape armholes by casting off 4 sts at beg of next 2 rows (54 [60] sts).

Dec 1 st at each end of next 6 [8] rows (42 [44] sts). Work 4 rows.

Divide for neck: **Next row**—K13, turn and leave remaining sts on a spare needle. **Next row**—P2tog, P to end.

Dec 1 st at neck edge on next 5 rows (7 sts).

Work straight until armhole measures 10 [11] cm, ending with right side facing. Cast off.

With right side facing, slip centre 16 [18] sts on a length of yarn, rejoin yarn to remaining sts and work to match first side, reversing shapings.

Work **Back** as follows: Join back seam.

With right side facing, No 2¼ mm needles and MS, K across first set of 31 [34] sts, then 2nd set of 31 [34] sts (62 [68] sts).

Work to match Front, but using MS throughout.

MAKE UP AND BORDERS

For pressing instructions, see first page of text.

Join side and leg seams.

Fold leg borders in half to **wrong** side and slip-hem loosely in position.

Armhole Borders (2): With right side facing, No 3¼ mm needles and C, **knit up** 44 [50] sts all round armhole. Work 7 rows K1, P1 rib. Cast off evenly in rib.

Neck Borders (Both alike): With right side facing, No 3¼ mm needles and C, work as follows: **knit up** 13 sts down left side of neck, K across centre, 16 [18] sts dec 2 sts evenly, **knit up** 13 sts up right side of neck (40 [42] sts).

Work 5 rows K1, P1 rib. Cast off evenly in rib.

Button Borders (2): With right side facing for first row, crochet hook and C, work 2 rows dc along shoulder edges of Back. Fasten off.

Buttonhole Border (2): Work along front shoulder as for Button Borders with the addition of 3 buttonloops evenly spaced on 2nd row.

To make a buttonloop: 2ch, miss 1dc.

Sew on buttons.

Embroidery: Using MS and C, embroider face on the sun and the sun's rays as in photograph.

2

Crochet dress and shoes

Materials: Patons Fairytale 3 ply, **Dress:** 4 (20 gram) balls, **Shoes:** 1 (20 gram) ball.

No 3-00 mm (11) Milward crochet hook. 4 small buttons for Dress. 2 small buttons for Shoes.

Measurements: **Dress:** To fit chest 46 cm (18 in); garment measures 34 cm (14½ in); length from top of shoulders, approx 35 cm (13¾ in); sleeve seam, 4 cm (1½ in). **Shoes:** length of foot, 9 cm (3½ in).

Tension: 22 tr and 13 rows to 10 cm measured over trebles.

For notes and abbreviations, see first page of text.

Special abbreviations

dec 1=(yrh, insert hook in next st and draw a loop through, yrh and draw through 2 loops) twice, yrh and draw through all 3 loops on hook.

Cl=cluster worked as follows: (yrh, draw a long loop around next tr) 4 times, yrh, draw through 9 loops on hook, 1ch.

Tri=Triangle—1tr, 2ch, 1tr; Shell=7tr all in same sp.

Dress

YOKE

(Backs and Front worked in one piece to division for armholes)

Make 105ch.

Foundation row—(Right side), 1tr in 3rd ch from hook, 1tr in each ch to end, turn (104 sts).

Divide for Backs and Front as follows:

Right Back: **1st row**—2ch, miss first tr, 1tr in each of next 20tr, turn (21 sts). **2nd row**—2ch, miss first tr, dec 1, 1tr in each of next 17tr, 1tr in top of 2ch (20 sts). **3rd row**—2ch, miss first tr, 1tr in each of next 18tr, 1tr in top of 2ch.

Rep 3rd row 9 times more, thus ending with **wrong** side facing for next row.

Shape shoulder as follows: **Next row**—2ch, miss first tr, 1tr in each of next 8tr, 1htr in each

of next 6tr, 1dc in each remaining tr, ending 1dc in top of 2ch. Fasten off.

FRONT

With **wrong** side facing, leaving next 10tr free on division row, rejoin yarn in next tr and work 2ch, 1tr in each of next 41tr, turn (42 sts).

Next row—2ch, miss first tr, dec 1, 1tr in each of next 36tr, dec 1, 1tr in top of 2ch (40 sts).

Next row—2ch, miss first tr, 1tr in each of next 38tr, 1tr in top of 2ch. Rep last row 5 times more, thus ending with **wrong** side facing for next row.

Shape neck as follows: **Next row**—2ch, miss first tr, 1tr in each of next 12tr, turn (13 sts).

Next row—Ss over first 2tr, 2ch, 1tr in each of next 10tr, 1tr in top of 2ch (12 sts). **Next row**—2ch, miss first tr, 1tr in each of next 10tr (11 sts).

Next row—2ch, miss first tr, 1tr in each of next 9tr, 1tr in top of 2ch.

Shape shoulder as follows: **Next row**—1ch, 1dc in each of next 5tr, 1htr in each of next 5tr, 1htr in top of 2ch. Fasten off.

With **wrong** side facing, leaving next 14tr free, rejoin yarn in next tr and work 2ch, 1tr in each of next 11tr, 1tr in top of 2ch (13 sts).

Work to match first side, reversing shapings.

LEFT BACK

With **wrong** side facing, leaving next 10tr free on division row, rejoin yarn in next tr and work 2ch, work to end.

Work to match Right Back, reversing shapings.

YOKE BORDER

Join shoulder seams.

With right side facing and leaving foundation row free, starting at left back rejoin yarn to first tr of next row, (1Cl, ss round following tr in row above, miss 1tr) 9 times, Fasten off. Rejoin yarn at left back armhole to 2nd tr in from edge, work 1Cl in each tr along left back armhole edge, joining with a ss in 3rd tr from edge. Continue working Cls down left front armhole edge, then across front as on back, up right front armhole edge, down right back armhole edge and along right back. Fasten off.

SKIRT

With right side facing and starting at lower edge of right back, rejoin yarn and work 1dc in each ch, ending 1dc in top of 2ch (104 sts).

1st row—3ch, miss first 2dc, * 1Tri in next dc, 2ch, miss 2dc; rep from * to last 3dc, 1Tri in next dc, 1ch, miss 1dc, 1tr in last dc.

2nd row—2ch, miss 1tr and 1ch sp, * 1 shell into Tri, miss 2ch sp; rep from * to last Tri, 1 shell in last Tri, 1tr into 2nd of 3ch.

3rd row—3ch, miss 1tr, * 1Tri into 4th tr of shell, 2ch; rep from * to last shell, 1Tri into 4th tr of last shell, 1ch, 1tr in top of 2ch.

2nd and 3rd rows from skirt patt.

Continue in patt until Dress measures approx 35 cm, ending with a 2nd row.

Fasten off.

SLEEVES

Make 36ch.

1st row—(**Wrong** side), 1 tr in 3rd ch from hook, 1tr in each ch to end (35 sts).

2nd row—2ch, miss first tr, 1tr in each tr, ending 1tr in top of 2ch. **3rd row**—3ch, miss 2tr, * 1Tri in next tr, 2ch, miss 1tr; rep from * to last 3 sts, 1Tri in next tr, 1ch, miss 1tr, 1tr in top of 2ch.

4th row—2ch, miss 1tr 1ch sp, * 1 shell into Tri, miss 2ch sp; rep from * to last Tri, 1 shell into last Tri, 1tr into 2nd of 3ch.

Shape top as follows: **Next row**—Ss to 4th tr of first shell, 5ch, * 1Tri into 4th tr of next shell, 2ch; rep from * to last shell, 1tr into 4th tr of last shell, turn.

Next row—* 1 shell into next Tri, miss 2ch sp; rep from * to last Tri, 1 shell into last Tri, 1dc in 3rd of 5ch, turn.

Rep last 2 rows twice more (10 shells).

Next row—Ss to 4th tr of first shell, * 1ch, 1dc in 4th tr of next shell; rep from * to end. Fasten off.

TO MAKE UP

Do not press.

Insert Sleeves.

Join back seam to start of Yoke.

With right side facing for 1st row, work 2 rows dc all round back opening, working 4 button-loops evenly spaced on 2nd row on right back. Fasten off.

To make a buttonloop: 3ch, miss 2dc.

With right side facing, starting at right back opening, work a row of Cls around neck. Sew on buttons.

Shoes

RIGHT SHOE

Sole: Make 7ch.

Next row—1dc in 2nd ch from hook, 1dc in each ch to end (6 sts). **Next row**—1ch, 1dc in each dc to end. Rep last row 4 times more.

**** Next row**—1ch, 2dc in first dc, 1dc in each dc to end (7 sts). Work 3 rows dc.

Next row—1ch, 2dc in first dc, 1dc in each dc to end (8 sts). Work 3 rows dc. **Next row**—1ch, 2dc in first dc, 1dc in each dc to end (9 sts). Work 3 rows dc.

Next row—1ch, 2dc in first dc, 1dc in each dc to end (10 sts). Work 3 rows dc, **** do not turn**.

Now work 1 round of dc around Sole as follows: 18dc along curved edge of sole, 2dc in corner, 4dc along heel, 2dc in corner, 16dc along outside edge of sole, 2dc in corner, 8dc along top edge, 2dc in corner, ss in next dc (54 sts).

Work 2 rounds more in dc, working 2dc in each corner (62 sts).

Now work down curved edge, along heel, then work 10dc along outside edge after corner, ss in next dc of previous row.

***** Next row**—2ch, * 1tr around next dc of 2nd row below, (thus working in same direction, but now on top of sole); rep from * all round sole, ending ss in top of 2ch (60 sts).

Next round—2ch, miss first tr, * 2tr in next sp between 2tr, miss 1sp; rep from *, ending 1tr in last sp between tr and 2ch, ss in top of 2ch.

Rep last round once more, turn.

Next round—1dc in each of next 31tr, (1dc in next tr, miss 1tr) 13 times, 1dc in each of next 2tr, ss in first dc, turn.

Shape front as follows: **Next row**—1dc in each of next 3dc, (dec 1) 5 times, 1dc in each of next 3dc, turn. **Next row**—1ch, miss first dc, 1dc in each of next 2dc, 1htr in next st, (1tr in next st) 3 times, 1htr in next st, 1dc in each of next 2dc, ss in next dc, turn.

Shape bar as follows: **Next row**—Ss over first 3sts, 1dc in each of next 3tr, turn. **Next row**—1ch, 1dc in each of next 3dc.

Rep last row 16 times. Fasten off. *******

With right side facing, rejoin yarn to outside edge where front shaping was started and work as follows:

****** Next row**—1ch, 1dc in each of next 30dc, ss in next dc, turn. **Next row**—1ch, 1dc in each of next 30dc, turn (30 sts).

Rep last row 3 times more, thus ending on inside edge, **do not turn**.

Work strap as follows: Make 13ch, turn.

Next row—1dc in 2nd ch from hook, 1dc in each ch, 1dc in each dc to end. Work **buttonhole** as follows: **Next row**—1ch, * 1dc in next dc; rep from * to last 2dc, 1ch, miss 1dc, 1dc in last dc.

Next row—1ch, 1dc in next dc, 1dc in 1ch, 1dc in each dc to end. Fasten off.

LEFT SHOE

Sole: Make 7ch.

Next row—1dc in 2nd ch from hook, 1dc in each ch to end (6 sts). **Next row**—1ch, 1dc in each dc to end.

Rep last row 3 times more.

Now work as for Right Shoe from ****** to ******. Work a further row of dc. Do not turn.

Now work 1 round of dc around Sole as follows: 16dc along outside edge of sole, 2dc in corner, 4dc along heel, 2dc in corner, 18dc along curved edge of side, 2dc in corner, 8dc along top edge, 2dc in corner, ss in next dc (54 sts).

Work 2 rounds more in dc working 2dc in each corner (62 sts).

Now work down outside edge, along heel, then work 8dc along curved edge after corner, ss in next dc of previous row.

Now work as for Right Shoe from ******* to *******.

With **wrong** side facing, rejoin yarn to outside edge where front shaping was started and work as for Right Shoe from ******** to end.

TO MAKE UP

Do not press.

Fold Bar across Strap and stitch in position. Sew on button.

With right side facing, starting at middle of inside edge, work 1 row of Cls all round 3rd round of trs, working each Cl round each 2tr group and ss in dc in next row.

Fasten off.

3

Zip-up playsuit

Materials: Patons Fairytale Quickerknit, 6 [7] (20 gram) balls and 1 [1] (20 gram) ball in Contrast for embroidery.

Pair each Nos 2¾ mm and 3¾ mm Milward needles. Needle sizes quoted are Metric; equivalent UK sizes are No 12 for 2¾ mm and No 9 for 3¾ mm.

20 [23] cm (8 [9] in) zip.

Measurements: To fit chest 46 [51] cm (18 [20] in); garment measures 46 [51] cm (18 [20] in); length at centre back to crotch 29 [33] cm (11½ [13] in); leg seam 20 [22] cm (8 [8¾] in); sleeve seam, 15 [18] cm (6 [7] in).

Tension: On No 3¾ mm needles, 26 sts and 34 rows to 10 cm (stocking stitch).

For notes and abbreviations, see first page of text.

PANEL PATT (15 sts)

1st row—(Wrong side), P7, K1, P7. **2nd row**—K6, P3, K6. **3rd row**—P5, K5, P5. **4th row**—K4, P7, K4. **5th row**—P3, K9, P3.

6th row—K2, P11, K2. **7th row**—P1, K13, P1. **8th row**—P15. **9th row**—As 7th. **10th row**—As 6th. **11th row**—As 5th. **12th row**—As 4th.

13th row—As 3rd. **14th row**—As 2nd. **15th row**—As 1st. **16th row**—K. **17th row**—P. **18th row**—K.

These 18 rows form panel patt.

RIGHT LEG

**** With No 3¼ mm needles, cast on 14 [16] sts and starting with a K row, work 12 [14] rows in stocking stitch for instep, thus ending with right side facing for next row. ****

Next row—Cast on 7 [8] sts, K to end. **Next row**—Cast on 21 [22] sts, P to end (42 [46] sts).

***** Change to No 2¼ mm needles and work in K1, P1 rib for 2 cm inc 1 st at end of last row and ending with right side facing for next row (43 [47] sts).**

Change to No 3¼ mm needles and starting with a K row, work 3 rows in stocking stitch.

Place panel patt as follows: Next row—(Wrong side), P14 [16], panel patt as 1st row, P14 [16]. **Next row**—K14 [16], panel patt as 2nd row, K14 [16].

Continue thus, working appropriate rows of panel patt, **at the same time** shape sides by inc 1 st at each end of 2nd and every following 3rd row until there are 77 [81] sts.

Work straight until Leg measures 18 [20] cm from top of ribbing, ending with right side facing for next row.

Cast on 3 sts at beg of next 2 rows (83 [87] sts).

Work straight until Leg measures 10 [11] cm from last cast-on sts dec 1 st at end of last row, thus ending with **wrong** side facing for next row. ***

Shape back as follows: 1st row—P43 [45], turn. **2nd and every alt row**—sL1K, K to end.

3rd row—P33 [35], turn. **5th row**—P24 [26], turn. **7th row**—P16 [18], turn. **9th row**—P8 [10], turn. **10th row**—sL1K, K to end. **11th row**—P across all sts.

1st size: Next row—K2, (K1, K2tog, K2, K2tog) 11 times, K3 (60 sts).

2nd size: Next row—K2, (K2, K2tog) 20 times, K4 (66 sts).

Both Sizes: Leave these sts on a length of yarn.

LEFT LEG

Work as for Right Leg from ** to **.

Next row—Cast on 21 [22] sts, K to end. **Next row**—Cast on 7 [8] sts, P to end (42 [46] sts).

Work as for Right Leg from *** to ***. Work 1 row.

Shape back as follows: 1st row—K43 [45], turn. **2nd and every alt row**—sL1P, P to end.

3rd row—K33 [35], turn. **5th row**—K24 [26], turn. **7th row**—K16 [18], turn. **9th row**—K8 [10], turn. **10th row**—sL1P, P to end.

1st size: Next row—K3, (K2tog, K2, K2tog, K1) 11 times, K2 (60 sts).

2nd size: Next row—K4, (K2tog, K2) 20 times, K2 (66 sts).

Both sizes

Join legs as follows: With **wrong** side facing and No 3¼ mm needles, P across 60 [66] sts from Left Leg, then across 60 [66] sts from Right Leg inc in last st (121 [133] sts).

Change to No 2¼ mm needles and work in K1, P1 rib for 2 cm, rows on right side having a K1 at each end and ending with right side facing for next row.

Change to No 3¼ mm needles and starting with a K row, work in stocking stitch until work measures 5 [6] cm from top of waist ribbing, ending with right side facing for next row.

Divide for Back and Fronts as follows: Next row—K27 [30], slip these sts on a length of yarn, cast off 6 sts, K55 [61] (including st on needle after cast off), slip these sts on a length of yarn, cast off 6 sts, K to end.

Continue on these sts for Left Front and work 1 row.

Shape raglan by dec 1 st at armhole edge on next and every following 4th row until 24 [27] sts remain. Work 1 row.

Now dec 1 st at armhole edge on next and every alt row until 16 [19] sts remain, ending with a K row.

Shape neck as follows: P5, slip these sts on a safety-pin, P to end.

Continue dec at raglan edge as before, **at the same time** dec 1 st at neck edge on every row until 4 [6] sts remain.

Continue dec at raglan edge **only** as before until 2 sts remain. Work 1 row. **Next row**—K2tog and fasten off.

With **wrong** side facing, rejoin yarn to centre 55 [61] sts for Back and work 1 row.

Shape raglans by dec 1 st at each end of next and every following 4th row until 49 [55] sts remain. Work 1 row.

Now dec 1 st at each end of next and every alt row until 23 [25] sts remain. Work 0 [1] row.

1st size: Next row—P2tog, P to last 2 sts, P2tog.

Both sizes: Leave remaining 21 [25] sts on a spare needle.

With **wrong** side facing, rejoin yarn to remaining sts for Right Front and work to match Left Front, reversing shapings.

SLEEVES

With No 2¼ mm needles, cast on 34 [36] sts and work in K1, P1 rib for 2 cm.

Next row—Rib 6 [7], (M1, rib 12) twice, M1, rib to end (37 [39] sts).

Change to No 3¼ mm needles and starting with a K row, work 3 rows in stocking stitch.

Place panel patt as follows: Next row—P11 [12], panel patt as 1st row, P11 [12]. **Next row**—K11 [12], panel patt as 2nd row, K11 [12].

Continue thus, working appropriate rows of panel patt, shaping sides by inc 1 st at each end of 5th [3rd] and every following 10th [8th] row until there are 47 [49] sts.

Work a few rows straight until sleeve seam measures 15 [18] cm, ending with a P row.

Shape raglans by casting off 3 sts at beg of next 2 rows.

2nd size: Dec 1 st at each end of next and following 4th row (39 sts). Work 1 row.

Both sizes: Now dec 1 st at each end of next and every alt row until 5 sts remain. Work 1 row. Leave remaining sts on a safety-pin.

RIGHT FOOT

With right side facing, No 3¼ mm needles, start at leg seam and work as follows: **knit up** 20 [21] sts from cast-on sts, 13 sts from side of instep, 12 [14] sts across top, 13 sts from side of instep and 6 [7] sts from cast-on edge (64 [68] sts).

Work 5 rows in garter stitch (every row K).

Shape foot as follows: 1st row—K2tog, K35 [37], K2tog, K2togtbl, K21 [23], K2togtbl. **2nd row**—K.

3rd row—K2tog, K33 [35], K2tog, K2togtbl, K19 [21], K2togtbl. **4th row**—K.

5th row—K2tog, K31 [33], K2tog, K2togtbl, K17 [19], K2togtbl (52 [56] sts). Cast off.

LEFT FOOT

With right side facing and No 3¼ mm needles, start at leg seam and work as follows: **knit up** 6 [7] sts from cast-on edge, 13 sts along side of instep, 12 [14] sts across top, 13 sts from side of instep and 20 [21] sts from cast-on edge (64 [68] sts).

Work 5 rows in garter stitch.

Shape foot as follows: 1st row—K2tog, K21 [23], K2tog, K2togtbl, K35 [37], K2togtbl. **2nd row**—K. **3rd row**—K2tog, K19 [21], K2tog, K2togtbl, K33 [35], K2togtbl.

4th row—K. **5th row**—K2tog, K17 [19], K2tog, K2togtbl, K31 [33], K2togtbl (52 [56] sts). Cast off.

MAKE UP AND NECKBAND

For pressing instructions, see first page of text.

Join raglans.

With right side facing and No 2¼ mm needles, K5 from safety-pin at right front, **knit up** 8 [10] sts up right side of neck, K5 from right sleeve, 21 [25] from back of neck, 5 from left sleeve, **knit up** 8 [10] sts down left side of neck, K5 from safety-pin at left front (57 [65] sts).

Work in P1, K1 rib for 2 cm, rows on **wrong** side having a P1 at each end. Cast off loosely in rib.

Using contrast, work embroidery as in photograph.

Join sleeve and back seams.

Starting at centre of toe decreases, join foot seams, then inside leg seam.

Insert zip in front opening from neck edge to extent of zip, then join remainder of front seam.

4

Sweater, shorts and shoes

Materials: Patons Beehive Knits as 4 ply, **Sweater:** 2 [2] (50 gram) balls in Main Shade and 1 [1] (50 gram) ball in Contrast for embroidery, **Shorts:** 1 [1] (50 gram) ball in Main Shade, **Shoes:** 1 [1] (50 gram) ball in Main Shade and oddment of Contrast or Patons Fairytale 4 ply, **Sweater:** 4 [5] (20 gram) balls in Main Shade and 1 [1] (20 gram) ball in Contrast for embroidery, **Shorts:** 2 [2] (20 gram) balls in Main Shade, **Shoes:** 1 [1] (20 gram) ball in Main Shade and oddment of Contrast.

Pair each Nos 2¼ mm and 3¼ mm Milward needles. Needle sizes quoted are Metric: equivalent UK sizes are No 12 for 2¼ mm and No 10 for 3¼ mm. 4 buttons for Sweater. 2 buttons for Shoes. Length of elastic to fit waist of Shorts.

Measurements: **Sweater:** To fit chest 46 [51] cm (18 [20] in); garment measures 46 [51] cm (18 [20] in); length from top of shoulders, 25 [28] cm (10 [11] in); sleeve seam, approx 15 [18] cm (6 [7] in). **Shorts:** length from crotch to waist at centre front, 21 [23] cm (8½ [9] in).

Tension: On No 3¼ mm needles, 28 sts and 36 rows to 10 cm (stocking stitch).

For notes and abbreviations, see first page of text.

Special abbreviations

MS=Main Shade; C=Contrast.

Sweater

BACK

** With No 2¾ mm needles and MS, cast on 62 [70] sts and work in K1, P1 rib for 4 cm dec 3 sts evenly across last row (59 [67] sts).

Change to No 3¼ mm needles and work in patt as follows: **1st row**—(Right side), K1 [0], * K3, yfwd, sL1K, K1, psso, K5; rep from * to last 8 [7] sts, K3, yfwd, sL1K, K1, psso, K3 [2]. **2nd and every alt row**—P.

3rd row—K1 [0], * K1, K2tog, yfwd, K1, yfwd, sL1K, K1, psso, K4; rep from * to last 8 [7] sts, K1, K2tog, yfwd, K1, yfwd, sL1K, K1, psso, K2 [1].

5th row—K1 [0], * K2tog, yfwd, K3, yfwd, sL1K, K1, psso, K3; rep from * to last 8 [7] sts, K2tog, yfwd, K3, yfwd, sL1K, K1, psso, K1 [0].

7th row—K1 [0], * K8, yfwd, sL1K, K1, psso; rep from * to last 8 [7] sts, K8 [7]. **9th row**—K2 [1], * K5, K2tog, yfwd, K1, yfwd, sL1K, K1, psso; rep from * to last 7 [6] sts, K7 [6].

11th row—K3 [2], * K3, K2tog, yfwd, K3, yfwd, sL1K, K1, psso; rep from * to last 6 [5] sts, K6 [5]. **12th row**—P.

These 12 rows form patt.

Continue in patt until Back measures 16 [18] cm, ending with right side facing for next row.

Keeping continuity of patt, **shape armholes** by casting off 2 sts at beg of next 2 rows.**

Divide for back opening: **Next row**—K2tog, patt 22 [26], turn and leave remaining sts on a spare needle.

Continue on these 23 [27] sts for first side, dec 1 st at armhole edge on every alt row from previous dec until 20 [21] sts remain.

Work straight until Back measures 25 [28] cm, ending with right side facing for next row.

Keeping continuity of patt, **shape shoulder** by casting off 4 sts at beg of next and following alt row. Work 1 row. Cast off 5 sts. Work 1 row. Leave remaining 7 [8] sts on a safety-pin.

With right side facing, slip centre 7 sts on a safety-pin, rejoin yarn to remaining sts, patt to last 2 sts, K2tog.

Work to match first side, reversing shapings.

FRONT

Work as for Back from ** to **.

Dec 1 st at each end of next and every alt row until 47 [49] sts remain. Work straight until Front measures 22 [24] cm, ending with right side facing for next row.

Keeping continuity of patt, **divide for neck:** **Next row**—Patt 16 [17], K2tog, turn and leave remaining sts on a spare needle.

Continue on these 17 [18] sts for first side dec 1 st at neck edge on every row until 13 sts remain.

Work straight until Front matches Back to start of shoulder shaping, ending with right side facing for next row.

Keeping continuity of patt, **shape shoulder** by casting off 4 sts at beg of next and following alt row. Work 1 row. Cast off remaining 5 sts.

With right side facing, leave centre 11 sts on a length of yarn, rejoin yarn to remaining sts, K2tog, patt to end.

Work to match first side, reversing shapings.

SLEEVES

With No 2¾ mm needles and MS, cast on 36 [38] sts and work in K1, P1 rib for 4 cm.

Next row—Rib 3 [4], M1, (rib 3, M1) 10 times, rib to end (47 [49] sts).

Change to No 3¼ mm needles and work in patt as for 2nd [1st] size on Back until Sleeve measures approx 15 [18] cm down centre, ending with same patt row as on Back and Front at start of armhole shaping.

Keeping continuity of patt, **shape top** by casting off 2 sts at beg of next 2 rows.

Dec 1 st at each end of next and every alt row until 33 [29] sts remain. Work 1 row. Now dec 1 st at each end of every row until 13 sts remain. Cast off.

MAKE UP AND BORDERS

For pressing instructions, see first page of text.

Join shoulder seams.

Neck Border: With right side facing, No 2¾ mm needles and MS, starting at top of left back opening, work as follows: K7 [8] sts across left back inc 2 [3] sts evenly, **knit up** 10 [12] sts down left side of neck, K11 sts from centre, **knit up** 10 [12] sts up right side of neck, then K7 [8] across right back inc 2 [3] sts evenly (49 [57] sts).

Work in P1, K1 rib for 4 cm, rows on **wrong** side having a P1 at each end. Using a No 3¼ mm needle, cast off loosely in rib.

Fold Neck Border in half to wrong side and slip-hem loosely in position.

Join side and sleeve seams. Insert Sleeves.

Button Border: With No 2¾ mm needles and MS, cast on 7 sts and work in rib as follows: **1st row**—K2, (P1, K1) twice, K1. **2nd row**—(K1, P1) 3 times, K1.

Rep these 2 rows until Border, when slightly stretched fits up left back opening to top of Neck Border. Sew in position as you go along. Cast off.

Buttonhole Border: With right side facing, No 2¾ mm needles and MS, K across 7 sts from safety-pin and starting with a 2nd row, work as for Button Border with the addition of 4 buttonholes, first to come 2 cm up from start of back opening, last at centre of Neck Border and remaining 2 spaced evenly between.

First mark position of buttons on Button Border with pins to ensure even spacing, then work buttonholes to correspond.

To make a buttonhole—(Right side), rib 3, cast off 1, rib to end and back casting on 1 over st cast off.

Neatly stitch Button Border to base of opening on wrong side.

Sew on buttons.

In C, embroider French Knots as in photograph if desired.

Shorts

BACK AND FRONT (Alike)

With No 2¾ mm needles and MS, cast on 68 [72] sts and work in K1, P1 rib for 3 cm.

Change to No 3¼ mm needles and starting with a K row, work in stocking stitch until Shorts measure 21 [23] cm, ending with a P row.

Divide for legs: **Next row**—K30, turn and leave remaining sts on a spare needle.

Starting with a P row, work 7 rows in stocking stitch. **Next row**—K2tog, * yfwd, K2tog; rep from * to end.

Starting with a P row, work 3 rows in stocking stitch. Cast off loosely.

With right side facing, rejoin yarn to remaining sts, cast off 8 [12] sts, K to end (30 sts). Work to match first side.

TO MAKE UP

For pressing instructions, see first page of text.

Join side, leg and crutch seams.

Fold leg borders at row of holes to wrong side and slip-hem loosely in position.

Cut elastic to fit waist, join in a ring and sew inside waist ribbing using herringbone stitch over elastic to form a casing.

Shoes

LEFT SHOE

With No 3¼ mm needles and MS, cast on 38 sts and work 2 rows in garter stitch (every row K, **noting** that first row is **wrong** side).

Next row—K2, yfwd, K2tog, K to end. **Next row**—K. **Next row**—Cast off 14 sts, K to end (24 sts).

** Work 4 rows in garter stitch. Break yarn and leave these sts on a length of yarn.

Foot top: With No 3¼ mm needles and MS, cast on 10 sts and K 1 row.

Starting with a K row, work 16 rows in stocking stitch. Break yarn and leave these sts on a safety-pin.**

With right side facing and MS, **knit up** 10 sts along right side of foot top, K 10 sts from safety-pin, **knit up** 10 sts along left side of foot top, then K 24 sts from length of yarn (54 sts).

Work 9 rows in garter stitch.

Next row—Cast off 10 sts, K10 (including st on needle after cast off), cast off 34 sts. Break yarn.

With **wrong** side of work facing, rejoin yarn to remaining 10 sts for sole and work 29 rows in garter stitch. Cast off.

RIGHT SHOE

With No 3¼ mm needles and MS, cast on 38 sts and work 2 rows in garter stitch.

Next row—K to last 4 sts, K2tog, yfwd, K2. **Next row**—K. **Next row**—K24, cast off 14 sts (24 sts).

Work as for Left Shoe from ** to **.

With right side facing and MS, K 24 sts from spare needle, **knit up** 10 sts along right side of foot top, K 10 sts from safety-pin, **knit up** 10 sts along left side of foot top (54 sts). Work 9 rows in garter stitch.

Next row—Cast off 34 sts, K10 (including st on needle after cast off), cast off 10 sts. Break yarn.

With **wrong** side facing, rejoin yarn to remaining 10 sts and work 29 rows in garter stitch. Cast off.

TO MAKE UP

For pressing instructions, see first page of text.

Join side and foot seams. Sew on buttons.

In C, embroider French Knots on Foot Tops as in photograph if desired.

5

Crochet shawl

Materials: Patons Fairytale 2 ply, 16 (20 gram) balls.

No 2-00 mm (14) Milward crochet hook.

Measurement: Approx. 130 cm (51½ in) square (including border).

Tension: 9 trebles and 13 rows to 10 cm (over centre piece).

For notes and abbreviations, see first page of text.

Special abbreviation

Cl=Cluster—yrh, insert hook in next dc, draw up a loop, (yrh, insert hook in same dc, draw up a loop) twice, yrh, draw yarn through all 7 loops.

CENTRE PIECE

Make 323ch.

Foundation row—(Right side), 1tr in 5th ch from hook, * miss 2ch, (1tr, 2ch, 1tr) in next h *, rep from * to * 104 times more, miss 2ch, (1tr, 2ch, 1tr) in last ch (107 triangles).

Next row—4ch, 1tr in first 2ch sp, * (1tr, 2ch, 1tr) in next 2ch sp; rep from * 104 times more, 1tr in next ch sp, 2ch, 1tr in 3rd of 4 turning ch.

Next row—4ch, 1tr in first 2ch sp, * (1tr, 2ch, 1tr) in next 2ch sp; rep from * 104 times more, 1tr in next ch sp, 2ch, 1tr in 3rd of 4 turning ch.

Rep last row until work measures 118 cm. Fasten off.

BORDER

With right side facing and starting at centre of one edge, work 1 round dc all round centre piece, **noting** that 3dc are worked into corners and placing a marker into the 2nd of each of these 3dc to mark corner sts and sts between marked corner sts should be a multiple of 4 plus 1.

Join with a ss in 1st dc. Fasten off.

Rejoin yarn in 8th dc before a marked corner dc and work as follows: **1st round**—3ch, * miss next dc, 1Cl in top of next dc, 3ch, miss next dc, 1dc in next dc, 3ch; rep from * all round centre piece to last 3dc, **noting** that each corner has 1dc in marked dc, ending last rep 1Cl in top of next dc, miss 1dc, 1tr in first of 3ch.

2nd round—* 5ch, 1dc in top of next Cl; rep from * to 1st corner, (5ch, 1dc in next dc at corner, ** 5ch, 1dc in next Cl; rep from ** to next corner) 3 times, 5ch, 1dc in next dc at corner, *** 5ch, 1dc in next Cl; rep from ***, ending last rep 2ch, 1tr in first of 5ch.

3rd round—3ch, 1Cl in same sp as last tr worked, 3ch, * 1dc in next 5ch sp, 3ch, 1Cl in next dc, 3ch; rep from *, **noting** that 1Cl is worked in each of the corner dc's, ending with ss in base of first 3ch, ss over 3ch to top of 1st Cl of round.

4th round—* 5ch, 1dc in top of next Cl; rep from * to 1st corner, (5ch, 1dc in next dc, 5ch, 1dc in Cl at corner, 5ch, 1dc in next dc, ** 5ch, 1dc in next Cl; rep from ** to next corner) 3 times, 5ch, 1dc in next dc, 5ch, 1dc in Cl at corner, 5ch, 1dc in next dc, *** 5ch, 1dc in next Cl; rep from ***, ending last rep 2ch, 1tr in first of 5ch.

5th round—3ch, 1Cl in same sp as last tr worked, 3ch, * 1dc in next 5ch sp, 3ch, 1Cl in next dc, 3ch; rep from * to 1st corner, (1dc in next 5ch sp, 3ch, 1Cl in next dc, 3ch, 1dc in next 5ch sp, 3ch, 1Cl in dc at corner, 3ch, 1dc in next 5ch sp, 3ch, 1Cl in next dc, 3ch, ** 1dc in next 5ch sp, 3ch, 1Cl in next dc, 3ch; rep from ** to next corner) 3 times, 1dc in next 5ch sp, 3ch, 1Cl in next dc, 3ch, 1dc in next 5ch sp, 3ch, 1Cl in dc at corner, 3ch, 1dc in next 5ch sp, 3ch, 1Cl in next dc, 3ch, *** 1dc in next 5ch sp, 3ch, 1Cl in next dc, 3ch; rep from ***, ending ss in base of first 3ch, ss over 3ch to top of 1st Cl of round.

6th round—* 5ch, 1dc in top of next Cl; rep from * ending last rep on top of ch before

centre ch at 1st corner, (5ch, 1dc in next dc, 5ch, 1dc in top of Cl at corner, 5ch, 1dc in next dc, 5ch, 1dc in top of next Cl, ** 5ch, 1dc in top of next Cl; rep from ** ending last rep on top of ch before centre ch at next corner) 3 times, 5ch, 1dc in next dc, 5ch, 1dc in top of Cl at corner, 5ch, 1dc in next dc, 5ch, 1dc in top of next Cl, *** 5ch, 1dc in top of next Cl; rep from ***, ending last rep 2ch, 1tr in first of 5ch.

7th round—3ch, 1Cl in same sp as last tr worked, 3ch, * 1dc in next 5ch sp, 3ch, 1Cl in next dc, 3ch; rep from * **noting** that 1Cl is worked into each of the corner dc's, ending with ss in base of first 3ch, ss over 3ch to top of 1st Cl of round.

8th round—As 6th. **9th round**—As 7th, but ending with ss in base of first 3ch. Fasten off.

TO MAKE UP

For pressing instructions, see first page of text.

6

Knitted shawl

Materials: Patons Fairytale 3 ply, 17 (20 gram) balls.

Pair No 3¼ mm Milward needles. Needle size quoted is Metric: equivalent UK size is No 9.

Measurements: Approx 130 cm×130 cm (51½ in×51½ in) including Border.

Tension: On No 3¼ mm needles, 28 sts and 36 rows to 10 cm (stocking stitch).

For notes and abbreviations, see first page of text.

MAIN PART

Cast on 241 sts and work in **patt** as follows:

1st row—K2tog, * yfwd, K3, yfwd, sL1K, K2tog, psso; rep from * to last 5 sts, yfwd, K3, yfwd, K2tog. **2nd and every alt row**—P.

3rd row—* K1, yfwd, K5, yfwd; rep from * to last st, K1. **5th row**—K2tog, * yfwd, sL1K, K1, psso, K1, K2tog, yfwd, sL1K, K2tog, psso; rep from * to last 7 sts, yfwd, sL1K, K1, psso, K1, K2tog, yfwd, K2tog.

7th row—* K2, yfwd, sL1K, K2tog, psso, yfwd, K1; rep from * to last st, K1. **9th row**—* K3, yfwd, K1, yfwd, K2; rep from * to last st, K1.

11th row—* K1, K2tog, yfwd, sL1K, K2tog, psso, yfwd, sL1K, K1, psso; rep from * to last st, K1. **12th row**—P.

These 12 rows form **patt**.

Continue in **patt** until work measures approx same as cast-on edge, ending with a 1st or 7th **patt** row. Cast off.

BORDER

Cast on 9 sts.

1st row—(Right side), sL1K, K2, yfwd, K2tog, K2, yfwd, K2. **2nd row**—K2, P3, K2, yfwd, K2tog, P1.

3rd row—sL1K, K2, yfwd, K2tog, K3, yfwd, K2. **4th row**—K2, P4, K2, yfwd, K2tog, P1.

5th row—sL1K, K2, yfwd, K2tog, K4, yfwd, K2. **6th row**—K2, P5, K2, yfwd, K2tog, P1. **7th row**—sL1K, K2, yfwd, K2tog, K5, yfwd, K2. **8th row**—K2, P6, K2, yfwd, K2tog, P1.

9th row—sL1K, K2, yfwd, K2tog, K6, yfwd, K2. **10th row**—K2, P7, K2, yfwd, K2tog, P1. **11th row**—sL1K, K2, yfwd, K2tog, K7, yfwd, K2. **12th row**—K2, P8, K2, yfwd, K2tog, P1.

13th and 15th rows—sL1K, K2, yfwd, K2tog, K10. **14th row**—K12, yfwd, K2tog, P1.

16th row—Cast off 6, K2 (including st on needle after cast off), P2, K2, yfwd, K2tog, P1.

These 16 rows form **patt**.

Continue in **patt** until Border fits all round edge of Main Piece allowing 5 cm for each corner, ending with 16th row of **patt**. Cast off loosely.

TO MAKE UP

For pressing instructions, see first page of text.

Join lace border to Main Piece, easing 5 cm into each corner, join Border.

7

Christening dress in two lengths

Materials: Patons Fairytale 2 ply, Long Version: 6 (20 gram) balls, Short Version: 4 (20 gram) balls.

Pair each Nos 2 mm and 2¼ mm Milward needles. Needle sizes quoted are Metric: equivalent UK sizes are No 14 for 2 mm and No 12 for 2¼ mm.

4 buttons. Length of ribbon.

Measurements: To fit chest 46 cm (18 in); garment measures 46 cm (18 in); length from top of shoulders, approx **Long Version:** 58 cm (23 in); **Short Version:** 36 cm (14 in); sleeve seam, 15 cm (6 in) both versions.

Tension: On No 2¼ mm needles, 36 sts and 44 rows to 10 cm (stocking stitch).

For notes and abbreviations, see first page of text.

Long Version

FRONT

** With No 2 mm needles, cast on 163 sts and work 3 rows in garter stitch (every row K).

Change to No 2¼ mm needles and work in **patt** as follows: **1st row**—(Right side), K1, * (P2, K1) twice, yfwd, K2tog, K3, yfwd, sL1K, K1, psso, yfwd, (K1, P2) twice, K1; rep from * to end.

2nd row—* (P1, K2) twice, P9, K2, P1, K2; rep from * to last st, P1. **3rd row**—K1, * (P2, K1) twice, yfwd, K2tog, yfwd, K3, yfwd, sL1K, K1, psso, yfwd, (K1, P2) twice, K1; rep from * to end.

4th row—* (P1, K2) twice, P11, K2, P1, K2; rep from * to last st, P1. **5th row**—K1, * (P2tog,

K1) twice, yfwd, K2tog, yfwd, sL1K, K1, pssso, K1, K2tog, yfwd, sL1K, K1, pssso, yfwd, (K1, P2tog) twice, K1; rep from * to end.

6th row—* (P1, K1) twice, P11, K1, P1, K1; rep from * to last st, P1. **7th row**—K1, * (P1, K1) twice, yfwd, K2tog, yfwd, KB1, yfwd, sL1K, K2tog, pssso, yfwd, KB1, yfwd, sL1K, K1, pssso, yfwd, (K1, P1) twice, K1; rep from * to end.

8th row—* (P1, K1) twice, P13, K1, P1, K1; rep from * to last st, P1. **9th row**—K1, * (K2tog) twice, yfwd, K2tog, yfwd, K3, yfwd, K1, yfwd, K3, yfwd, sL1K, K1, pssso, yfwd, (sL1K, K1, pssso) twice, K1; rep from * to end. **10th row**—P.

11th row—K1, * (K2tog, yfwd) twice, sL1K, K1, pssso, K1, K2tog, yfwd, K1, yfwd, sL1K, K1, pssso, K1, K2tog, (yfwd, sL1K, K1, pssso) twice, K1; rep from * to end. **12th row**—P.

13th row—K2tog, * yfwd, K2tog, yfwd, KB1, yfwd, sL1K, K2tog, pssso, yfwd, K3, yfwd, sL1K, K2tog, pssso, yfwd, KB1, yfwd, sL1K, K1, pssso, yfwd, sL1K, K2tog, pssso; rep from * to last 17 sts, yfwd, K2tog, yfwd, KB1, yfwd, sL1K, K2tog, pssso, yfwd, K3, yfwd, sL1K, K2tog, pssso, yfwd, KB1, yfwd, sL1K, K1, pssso, yfwd, sL1K, K1, pssso. **14th row**—P.

15th row—K1, * yfwd, sL1K, K1, pssso, yfwd, (K1, P2) 4 times, K1, yfwd, K2tog, yfwd, K1; rep from * to end. **16th row**—P5, * (K2, P1) 3 times, K2, P9; rep from * to last 16 sts, (K2, P1) 3 times, K2, P5.

17th row—K2, * yfwd, sL1K, K1, pssso, yfwd, (K1, P2) 4 times, K1, yfwd, K2tog, yfwd, K3; rep from * to last 19 sts, yfwd, sL1K, K1, pssso, yfwd, (K1, P2) 4 times, K1, yfwd, K2tog, yfwd, K2.

18th row—P6, * (K2, P1) 3 times, K2, P11; rep from * to last 17 sts, (K2, P1) 3 times, K2, P6.

19th row—K1, * K2tog, yfwd, sL1K, K1, pssso, yfwd, (K1, P2tog) 4 times, K1, yfwd, K2tog, yfwd, sL1K, K1, pssso, K1; rep from * to end.

20th row—P6, * (K1, P1) 3 times, K1, P11; rep from * to last 13 sts, (K1, P1) 3 times, K1, P6.

21st row—K2tog, * yfwd, KB1, yfwd, sL1K, K1, pssso, yfwd, (K1, P1) 4 times, K1, yfwd, K2tog, yfwd, KB1, yfwd, sL1K, K2tog, pssso; rep from * to last 17 sts, yfwd, KB1, yfwd, sL1K, K1, pssso, yfwd, (K1, P1) 4 times, K1, yfwd, K2tog, yfwd, KB1, yfwd, sL1K, K1, pssso.

22nd row—P7, * (K1, P1) 3 times, K1, P13; rep from * to last 14 sts, (K1, P1) 3 times, K1, P7.

23rd row—K1, * yfwd, K3, yfwd, sL1K, K1, pssso, yfwd, (sL1K, K1, pssso) twice, K1, (K2tog) twice, yfwd, K2tog, yfwd, K3, yfwd, K1; rep from * to end. **24th row**—P.

25th row—K1, * yfwd, sL1K, K1, pssso, K1, K2tog, (yfwd, sL1K, K1, pssso) twice, K1, (K2tog, yfwd,) twice, sL1K, K1, pssso, K1, K2tog, yfwd, K1; rep from * to end. **26th row**—P.

27th row—K2, * yfwd, sL1K, K2tog, pssso, yfwd, KB1, yfwd, sL1K, K1, pssso, yfwd, sL1K, K2tog, pssso, yfwd, KB1, yfwd, sL1K, K2tog, pssso, yfwd, K3; rep from * to last 17 sts, yfwd, sL1K, K2tog, pssso, yfwd, KB1, yfwd, sL1K, K1, pssso, yfwd, sL1K, K2tog, pssso, yfwd, K2tog, pssso, yfwd, KB1, yfwd, sL1K, K2tog, pssso, yfwd, K2. **28th row**—P.

These 28 rows form patt.

Continue in patt until 8 complete patt reps have been worked, thus ending with right side facing for next row.

Next row—K1, (K2tog) 40 times, K1, (K2togtbl) 40 times, K1 (83 sts). **Next row**—K. **Next row**—(K2, yfwd, K2tog) 10 times, K3, (K2togtbl, yfwd, K2) 10 times. **Next row**—K.

Starting with a K row, work 4 rows in stocking stitch.

Continue in stocking stitch and **shape armholes** by casting off 4 sts at beg of next 2 rows, then dec 1 st at each end of next 3 rows, then on every alt row until 65 sts remain. **

Work straight until Front measures 6 cm from start of armhole shaping, ending with a P row.

Shape neck as follows: **Next row**—K27, turn and leave remaining sts on a spare needle.

Dec 1 st at neck edge on every row until 18 sts remain.

Work straight until Front measures 9 cm from start of armhole shaping, ending with a P row.

Shape shoulder by casting off 6 sts at beg of next and following alt row. Work 1 row. Cast off remaining 6 sts.

With right side facing, slip centre 11 sts on a safety-pin, rejoin yarn to remaining sts, K to end.

Work to match first side, reversing shapings.

BACK

Work as for Front from ** to **.

Next row—P.

Divide for back opening as follows: **Next row**—K29, turn and leave remaining sts on a spare needle.

Continue on these sts for first side until Back measures same as Front to start of shoulder shaping, ending with a P row.

Shape shoulder by casting off 6 sts at beg of next and following 2 alt rows. Work 1 row. Leave remaining 11 sts on a safety-pin.

With right side facing, slip centre 7 sts on a safety-pin, rejoin yarn to remaining sts, K to end.

Work to match first side, reversing shapings.

SLEEVES

With No 2 mm needles, cast on 47 sts and work **picot hem** as follows: **1st row**—K. **2nd row**—P.

Rep 1st and 2nd rows 3 times more.

Next row—K1, * yfwd, K2tog; rep from * to end.

Starting with a P row, work 8 rows in stocking stitch. **Next row**—P5, (M1, P1, M1, P2) 13 times, P3 (73 sts).

Change to No 2¼ mm needles and work in patt as for Front until 2 reps of patt have been worked.

Keeping continuity of patt, **shape top** by casting off 4 sts at beg of next 2 rows, then dec 1 st at each end of next and every alt row until 39 sts remain.

Next row—(P2tog) 9 times, P3tog, (P2tog) 9 times (19 sts). Cast off.

MAKE UP AND BORDERS

For pressing instructions, see first page of text.

Join shoulder, side and sleeve seams. Insert Sleeves, easing in fullness at top.

Fold picot hem at row of holes in half to wrong side and slip-hem loosely in position.

Neck Border: With right side facing and No 2 mm needles, K across 11 sts from left back neck, **knit up** 15 sts down left side of neck, K11 from safety-pin, **knit up** 15 sts up right side of neck, then K11 from right back of neck (63 sts).

Starting with a P row, work 5 rows in stocking stitch. **Next row**—K1, * yfwd, K2tog; rep from * to end.

Starting with a P row, work 6 rows in stocking stitch. Using a No 2¼ mm needle, cast off loosely.

Fold picot hem at row of holes to wrong side and slip-hem loosely in position.

Left Back Border: With No 2 mm needles, cast on 7 sts and work in garter stitch (every row K) until Border, when slightly stretched, fits up left back opening to top of neck, ending with **wrong** side facing. Sew in position as you go along. Cast off.

Right Back Border: With right side facing and No 2 mm needles, K7 sts from safety-pin.

Work as for Left Back Border with the addition of 4 buttonholes, first to come 2 cm up from division, last to come 1 cm below neck edge and remainder spaced evenly between.

First mark position of buttons on Left Border with pins to ensure even spacing, then work buttonholes to correspond.

To make a buttonhole: (Right side), K3, yfwd, K2tog, K2.

Placing right over left, sew Borders in position at base of opening.

Thread ribbon through row of holes on bodice and tie at centre front.

Sew on buttons.

Short Version

Work as for Long Version, **noting** that 4 complete patts will be worked in place of 8 on the Skirt.

8

All-in-one suit and hooded jacket

Materials: Patons Beehive Knits as 4 ply, **All-in-One:** 3 (50 gram) balls, **Jacket:** 3 (50 gram) balls. Oddments for embroidery, or Patons Fairytale 4 ply, **All-in-One:** 7 (20 gram) balls, **Jacket:** 7 (20 gram) balls. Oddments for embroidery.

Pair each Nos 2¼ mm and 3¼ mm Milward needles. Needle sizes quoted are Metric: equivalent UK sizes are No 12 for 2¼ mm and No 10 for 3¼ mm.

6 buttons.

Measurements: To fit chest 51–53 cm (20–21 in); garment measures 54 cm (21½ in); **All-in-One:** length at centre front, 29 cm (11½ in); leg seam, 21 cm (8½ in); sleeve seams, 18 cm (7 in); **Jacket:** length from top of shoulders, 27 cm (10½ in); sleeve seam, 18 cm (7 in).

Tension: On No 3¼ mm needles, 28 sts and 36 rows to 10 cm (stocking stitch).

For notes and abbreviations, see first page of text.

All-in-one

RIGHT HALF

** With No 3¼ mm needles, start at foot and cast on 11 sts.

1st row—Inc in first st, K to last st, inc in last st. **2nd row**—P. **3rd and 4th rows**—As 1st and 2nd. **

Work 16 rows in stocking stitch casting on 7 sts at end of last row. **Next row**—K to end, cast on 21 sts (43 sts).

*** Work 11 rows stocking stitch.

Shape leg by inc 1 st at each end of next and every 4th row until there are 67 sts, then every alt row until there are 85 sts. Work 1 row (mark this point). ***

Continue on these sts until work measures 17 cm from marked point, ending with a K row,

Shape back: 1st row—P63, turn. 2nd and every alt row—K. 3rd row—P56, turn. 5th row—P49, turn.

Continue thus working 7 sts less on every alt row until the row "P14, turn" has been worked.

Next row—K. Next row—P6, (P2tog, P7) 8 times, P2tog, P to end (76 sts). Leave these sts on a spare needle.

LEFT HALF

Work as for Right Half from ** to **.

Work 16 rows in stocking stitch casting on 21 sts at end of last row. **Next row—K to end, cast on 7 sts (43 sts).**

Work as for Right Half from *** to ***.

Continue on these sts until work matches Right Half from marked point, ending with a P row.

Shape back: 1st row—K63, turn. 2nd and every alt row—P. 3rd row—K56, turn. 5th row—K 49, turn.

Continue thus, working 7 sts less on every alt row until the row "K14, turn" has been worked.

Next row—P. Next row—K. Next row—P6, (P2tog, P7) 8 times, P2tog, P to end (76 sts). Break yarn.

Work Front: **Next row—**Slip first 38 sts on a length of yarn, rejoin yarn and K to end.

With right side facing, slip 38 sts from spare needle on Right Half on to left-hand needle, K across these sts, leaving remaining 38 sts on length of yarn (76 sts). **Next row—P.**

Change to No 2½ mm needles and work waistband: 1st row—K1, P2, * KB1, P2; rep from * to last st, K1. 2nd row—K3, * PB1, K2; rep from * to last st, K1. 3rd and 4th rows—As 1st and 2nd.

5th row—K1, * P1, yon, K2tog, P2, yrn, P2tog, P1, KB1, yrn, P2tog, KB1; rep from * to last 3 sts, P1, yon, K2tog. 6th row—K3, (PB1, K2) twice, * P1, (K2, PB1) 3 times, K2; rep from * to last 7 sts, P1, K2, PB1, K3.

7th and 8th rows—As 1st and 2nd. 9th row—As 1st.

Change to No 3¼ mm needles and work in patt as follows: 1st row—(Wrong side), P4, * (K2, PB1) 4 times, K2, P13 *, rep from * to * once, (K2, PB1) 4 times, K2 P4. 2nd row—K4, * (P2, KB1) 4 times, P2, K13 *, rep from * to * once, (P2, KB1) 4 times, P2, K4.

These 2 rows form patt.

Continue in patt until work measures 4 cm from top of waistband, ending with right side facing for next row.

Keeping continuity of patt, **shape armholes** by casting off 5 sts at beg of next 2 rows. Dec 1 st at each end of next and every alt row until 56 sts remain.

Continue in patt until work measures 6 cm from start of armhole shaping, ending with right side facing for next row.


Shape neck: **Next row—**Patt 23, turn and leave remaining sts on a spare needle.

Continue on these sts for first side, dec 1 st at neck edge on every row until 18 sts remain.

Continue on these sts until armhole measures 10 cm, ending with right side facing for next row.

Shape shoulder by casting off 6 sts at beg of next and following alt row. Work 1 row. Cast off remaining 6 sts.

With right side facing, leave centre 10 sts on a length of yarn, rejoin yarn to remaining sts and work to match first side, reversing shapings.



KEY

- X = Dark
- = Light
- = Medium
- ⬠ = Red Lazy Daisy st.
- ⬢ = Green straight sts.

Work Back: With right side facing and No 3¼ mm needles, slip sts from spare needle on to left-hand needle, rejoin yarn and K all across. **Next row—P.**

Change to No 2½ mm needles and work 1st to 9th row of waistband as on Front.

Change to No 3¼ mm needles and work as follows: 1st row—P35, K1, PB1, K2, PB1, K1, P to end. 2nd row—K36, KB1, P2, KB1, K1, turn.

Continue on this group of 41 sts: 1st row—K1, PB1, K2, PB1, K1, P to last st, K1. 2nd row—K to last 5 sts, KB1, P2, KB1, K1. 3rd and 4th rows—As 1st and 2nd. 5th row—As 1st.

Work a buttonhole: 6th row—K to last 5 sts, KB1, yfwd, yrn, P2tog, KB1, K1. 7th row—As 1st.

Continue thus, working a buttonhole as before on every 9th and 10th rows from previous buttonhole until 5 buttonholes in all have been worked, at the same time continue until Back matches Front to start of armhole shaping, ending with right side facing for next row.

Shape armhole by casting off 5 sts at beg of next row, then dec 1 st at armhole edge on every alt row until 31 sts remain.

Continue on these sts until Back matches Front to start of shoulder shaping, ending with right side facing for next row.

Shape shoulder by casting off 6 sts at beg of next and following 2 alt rows. Work 1 row. Leave remaining 13 sts on a length of yarn.

With right side facing, rejoin yarn to remaining group of sts. Cast on 6 sts for underlap, K1, KB1, P2, KB1, K1 across these sts, K to end (41 sts).

Omitting buttonholes, work to match first side, reversing shapings.

SLEEVES

With No 2½ mm needles, cast on 39 sts.

1st row—K1, * KB1, P2; rep from * to last 2 sts, KB1, K1. 2nd row—* K1, PB1, K1; rep from * to end.

Rep 1st and 2nd rows 5 times more, then 1st row again.

Next row—Rib 3, (inc in next st, rib 7) 4 times, inc in next st, rib to end (44 sts).

Change to No 3¼ mm needles and starting with a K row, work in stocking stitch inc 1 st at each end of 7th and every following 12th row until there are 52 sts.

Work straight until sleeve seam measures 18 cm, ending with a P row.

Shape top by casting off 3 sts at beg of next 2 rows. Dec 1 st at each end of next and every alt row until 28 sts remain, then every row until 18 sts remain. Cast off.

RIGHT FOOT

With right side facing and No 2½ mm needles, **knit up** 21 sts from cast-on sts, 14 sts along side of foot, 10 sts from cast-on at toe, 14 sts along other side of foot, then 7 sts from cast-on sts (66 sts). K 13 rows.

Shape foot: 1st row—K5, K2togtbl, K2tog, K29, K2togtbl, K2tog, K24. 2nd and 4th rows—K. 3rd row—K4, K2togtbl, K2tog, K27, K2togtbl, K2tog, K23. 5th row—K3, K2togtbl, K2tog, K25, K2togtbl, K2tog, K22. Cast off.

LEFT FOOT

With right side facing and No 2½ mm needles, **knit up** 7 sts from cast-on sts, 14 sts along side of foot, 10 sts from cast-on at toe, 14 sts along other side of foot, then 21 sts from cast on sts (66 sts). K 13 rows.

Shape foot: 1st row—K24, K2togtbl, K2tog, K29, K2togtbl, K2tog, K5. 2nd and 4th rows—K. 3rd row—K23, K2togtbl, K2tog, K27, K2togtbl, K2tog, K4. 5th row—K22, K2togtbl, K2tog, K25, K2togtbl, K2tog, K3. Cast off.

MAKE UP AND NECKBAND

For pressing instructions, see first page of text.

Work embroidery from chart in cross stitch, unless otherwise stated.

Join shoulders.

With right side facing and No 2½ mm needles, start at left back and work across 13 sts as follows: K1, KB1, P2, KB1, K8, **knit up** 17 sts down left side of neck, K10 from front inc 1 st at centre, **knit up** 17 sts up right side of neck, then work across 13 sts from right back as follows: K8, KB1, P2, KB1, K1 (71 sts).

2nd row—K1, PB1, K2, PB1, * K1, P1; rep from * to last 6 sts, K1, PB1, K2, PB1, K1. 3rd row—K1, KB1, P2, KB1, * P1, K1; rep from * to last 6 sts, P1, KB1, yfwd, yrn, P2tog, KB1, K1. 4th row—As 2nd.

5th row—K1, KB1, P2, KB1, * P1, K1; rep from * to last 6 sts, P1, KB1, P2, KB1, K1. Cast off evenly in rib.

Join front, back, leg and foot seams, then join side and sleeve seams. Insert Sleeves. Catch underlap neatly to wrong side of work at base of opening. Sew on buttons.

Using 3 strands of yarn, make a twisted cord approx 76 cm long.

Instructions for making a simple yarn cord: See first page of text.

Thread through holes in waistband.

Jacket

BACK

With No 2½ mm needles, cast on 73 sts and K 8 rows.

Next row—K12, (M1, K24) twice, M1, K13 (76 sts).

Change to No 3¼ mm needles and starting with a K row, work in stocking stitch until Back measures 14 cm, ending with a P row.

Shape raglans: 1st and 2nd rows—Cast off 3, work to end. **3rd row**—K1, K2togtbl, K to last 3 sts, K2tog, K1. **4th row**—K1, P to last st, K1.

Rep 3rd and 4th rows 21 times more (26 sts). Cast off.

RIGHT FRONT

With No 2¾ mm needles, cast on 53 sts and work in **patt** as follows: **1st row**—(Wrong side), K to last 28 sts, (K2, PB1) 4 times, K4, (PB1, K2) 4 times. **2nd row**—(P2, KB1) 4 times, P4, (KB1, P2) 4 times, K to end.

Rep last 2 rows 3 times more.

Next row—K7, M1, K12, M1, K6, patt to end (55 sts).

Change to No 3¼ mm needles and work as follows: **1st row**—Patt 28, K to end. **2nd row**—P to last 28 sts, patt 28.

Rep last 2 rows until Front matches Back to start of raglan shaping, thus ending with **wrong** side facing for next row.

Shape raglan: 1st row—Cast off 3, P to last 28 sts, patt to end. **2nd row**—Patt 28, K to last 3 sts, K2tog, K1. **3rd row**—K1, P to last 28 sts, patt to end.

Continue dec thus until 37 sts remain. Work 1 row.

Shape neck: Next row—Cast off 24, patt 4 (including st on needle after cast off), K to last 3 sts, K2tog, K1.

Continue on these 12 sts dec at raglan edge on every alt row as before, at the same time dec 1 st at neck edge on next and every alt row until 5 sts remain.

Continue dec at raglan edge **only** until 2 sts remain. Work 1 row. **Next row**—K2tog and fasten off.

LEFT FRONT

With No 2¾ mm needles, cast on 53 sts and work in **patt**: **1st row**—(Wrong side), (K2, PB1) 4 times, K4, (PB1, K2) 4 times, K to end. **2nd row**—K to last 28 sts, (P2, KB1) 4 times, P4, (KB1, P2) 4 times.

Rep last 2 rows 3 times more.

Next row—Patt 28, K6, M1, K12, M1, K7 (55 sts).

Work to match Right Front, reversing shapings and working **K2togtbl** in place of K2tog at raglan shaping.

SLEEVES

With No 2¾ mm needles, cast on 42 sts and K 8 rows.

Next row—K5, (M1, K8) 4 times, M1, K5 (47 sts).

Change to No 3¼ mm needles and starting with a K row, work in stocking stitch, shaping sides by inc 1 st at each end of 3rd and every following 10th row until there are 57 sts.

Work straight until sleeve seam measures 18 cm, ending with a P row.

Shape raglans: 1st and 2nd rows—Cast off 3, work to end. **3rd row**—K1, K2togtbl, K to last 3 sts, K2tog, K1. **4th row**—K1, P to last st, K1.

Rep 3rd and 4th rows 21 times more (7 sts). Cast off.

MAKE UP, HOOD AND HOOD BAND

For pressing instructions, see first page of text.

Work embroidery from chart in cross stitch unless otherwise stated.

Join raglan, side and sleeve seams.

Hood: With No 3¼ mm needles, cast on 41 sts and starting with a K row, work in stocking stitch for 37 cm. Cast off.

Hood Band: With No 3¼ mm needles, cast on 14 sts.

1st row—K1, * P2, KB1; rep from * to last st, K1. **2nd row**—K1, * PB1, K2; rep from * to last st, K1.

Rep these 2 rows until work measures 41 cm from beginning. Cast off.

Fold 14 sts of ribbed border at Fronts to wrong side of work and flat stitch to form double band. Join ends of band.

Fold Hood at centre and join back seam. Stitch Hood in position round neck. Stitch Hood Band into position, placing the K1, P2 edge to Hood, starting from knitted up sts of Neckband.

Turn back Hood Band for brim.

Catch ends of Hood Band to neck.

Make 2 twisted cords and attach one to each side of neck.

9

Aran style sweater and ribbed shorts

Materials: Patons Beehive Double Knitting, **Sweater:** 3 [3] (50 gram) balls, **Shorts:** 1 [1] (50 gram) ball, or Patons Fairytale Double Knitting, **Sweater:** 6 [6] (20 gram) balls, **Shorts:** 3 [3] (20 gram) balls.

Pair each Nos 3¼ mm and 4 mm Milward needles. Needle sizes quoted are Metric: equivalent UK sizes are No 10 for 3¼ mm and No 8 for 4 mm.

No 3-50 mm (9) Milward crochet hook. Cable pin.

3 buttons for Sweater. Length of elastic (2 cm wide) for Shorts.

Measurements: To fit chest 46 [51] cm (18 [20] in); garment measures 46 [51] cm (18 [20] in); **Sweater:** Length from top of shoulders 29 [30] cm (11½ [12] in); sleeve seam 15 [18] cm (6 [7] in); **Shorts:** Length 21 cm (8½ in) both sizes.

Tension: On No 4 mm needles, 22 sts and 30 rows to 10 cm (stocking stitch).

For notes and abbreviations, see first page of text.

Special Abbreviations

Tw2K=Twist 2 K by knitting into back of 2nd st, then front of first st slipping the 2 sts off needle together.

Tw2P=with yarn at front, twist 2 P by purling into 2nd st, then first st, slipping 2 sts off needle together.

C2B=slip next st on cable pin and leave at back of work, K1, then K st from cable pin.

C4F=slip next 2 sts on cable pin and leave at front of work, K2, then K2 from cable pin.

C4B=slip next 2 sts on cable pin and leave at back of work, K2, then K2 from cable pin.

Cr2R=slip next st on cable pin and leave at back of work, K1, then P st from cable pin.

Cr2L=slip next st on cable pin and leave at front of work, P1, then K st from cable pin.

MB=Make bobble by (K1, P1) 3 times into next st, thus making 6 sts out of next st, then slip 2nd, 3rd, 4th, 5th and 6th sts over first.

PANEL PATT (10 sts)

1st row—(Right side), P2, Cr2R, Tw2K, Cr2L, P2. **2nd row**—K2, P1, K1, P2, K1, P1, K2. **3rd row**—P1, Cr2R, P1, Tw2K, P1, Cr2L, P1.

4th row—K1, P1, K2, P2, K2, P1, K1. **5th row**—Cr2R, P2, Tw2K, P2, Cr2L.

6th row—P1, K3, P2, K3, P1. **7th row**—Cr2L, P2, Tw2K, P2, Cr2R.

8th row—As 4th.

9th row—P1, Cr2L, P1, Tw2K P1, Cr2R, P1.

10th row—As 2nd.

11th row—P2, Cr2L, Tw2K, Cr2R, P2. **12th row**—K3, P4, K3.

These 12 rows form panel patt.

BACK

With No 3¼ mm needles, cast on 50 [56] sts and work in K1, P1 rib for 3 cm.

Next row—Rib 4 [3], M1, (rib 6 [7], M1) 7 times, rib 4 [58 [64] sts).

Change to No 4 mm needles and work in **patt**: **1st row**—(Right side), P3 [2], (Tw2K, P2) 1 [2] times, Tw2K, P2, C4F, P2, Tw2K, P2, MB, P2, panel patt 10 as 1st row, P2, MB, P2, Tw2K, P2, C4B, P2, Tw2K, (P2, C2B) 1 [2] times, P3 [2].

2nd row—K3 [2], (P2, K2) 1 [2] times, Tw2P, K2, P4, K2, Tw2P, K2, P1, K2, panel patt 10 as 2nd row, K2, P1, K2, Tw2P, K2, P4, K2, Tw2P, (K2, P2) 1 [2] times, K3 [2].

3rd row—P3 [2], (Tw2K, P2) 1 [2] times, Tw2K, P2, K4, P2, Tw2K, P2, K1, P2, panel patt 10 as 3rd row, P2, K1, P2, Tw2K, P2, K4, P2, Tw2K, (P2, C2B) 1 [2] times, P3 [2].

4th row—K3 [2], (P2, K2) 1 [2] times, Tw2P, K2, P4, K2, Tw2P, K2, P1, K2, panel patt 10 as 4th row, K2, P1, K2, Tw2P, K2, P4, K2, Tw2P, (K2, P2) 1 [2] times, K3 [2].

Continue in patt as set, working appropriate rows of panel patt until Back measures 20 cm, ending with right side facing for next row.

Shape armholes by casting off 3 sts at beg of next 2 rows, then dec 1 st at each end of next 3 [5] rows (46 [48] sts).

Continue in patt until Back measures 29 [30] cm, ending with right side facing for next row.

Shape shoulders by casting off 4 sts at beg of next 4 rows, then 5 sts at beg of following 2 rows.

Cast off remaining 20 [22] sts.

FRONT

Work as for Back until 8 [12] rows less than on Back have been worked before start of shoulder shaping, thus ending with right side facing for next row.

Divide for neck: Next row—Patt 16, work 2tog, turn and leave remaining sts on a spare needle.

Continue on these 17 sts for first side, dec 1 st at neck edge on every row until 13 sts remain. Work a further 3 [7] rows.

Shape shoulder by casting off 4 sts at beg of next and following alt row. Work 1 row. Cast off remaining 5 sts.

With right side facing, slip centre 10 [12] sts on a length of yarn, rejoin yarn to remaining sts, work 2 tog, patt to end.

Work to match first side, reversing shapings.

SLEEVES

With No 3¼ mm needles, cast on 26 [28] sts and work in K1, P1 rib for 3 cm.

Next row—Rib 3 [2], M1, (rib 4 [8], M1) 5 [3] times, rib 3 [2] (32 sts).

Change to No 4 mm needles and work in **patt**: **1st row**—(Right side), (P2, Tw2K) 3 times, P2, C4F, P2, Tw2K, P2, (C2B, P2) twice.

2nd row—(K2, P2) twice, K2, Tw2P, K2, P4, K2, Tw2P, K2, (P2, K2) twice.

3rd row—(P2, Tw2K) 3 times, P2, K4, P2, Tw2K, P2, (C2B, P2) twice. **4th row**—As 2nd.

These 4 rows form patt.

Continue in patt, shaping sides by inc 1 st at each end of next and every following 3rd [4th] row until there are 46 [48] sts, taking inc sts into patt.

Work straight in patt until sleeve seam measures 15 [18] cm, ending with right side facing for next row.

Shape top by casting off 3 sts at beg of next 2 rows. Dec 1 st at each end of next and following 4 [5] alt rows (30 sts). Work 1 row.

Now dec 1 st at each end of every row until 18 sts remain. Cast off.

MAKE UP AND BORDERS

For pressing instructions, see first page of text.

Join right shoulder seam.

Neck Border: With right side facing and No 3¼ mm needles, **knit up** 7 [9] sts down left side of neck, K across 10 [12] sts left on length of yarn, **knit up** 7 [9] sts up right side of neck, then 21 [23] sts across back of neck (45 [53] sts).

Work in P1, K1 rib for 5 cm, rows on **wrong** side having a P1 at each end. Using a No 4 mm needle, cast off loosely in rib.

Fold Neck Border in half to **wrong** side and slip-hem loosely in position.

Starting at side edge, join left shoulder for 1 cm.

With right side facing and crochet hook, starting at Back, work 1 row dc down side of Neck Border, along back shoulder, then front shoulder and up front side of Neck Border, turn.

Work a further row of dc, making 3 button-loops on front edge, first to come at neck edge, 3rd to come 1 cm from shoulder seam and remaining one spaced evenly between.

First mark position of buttons on back edge with pins to ensure even spacing, then work buttonloops to correspond.

To make a buttonloop—(**Wrong** side), 2ch, miss 1 st, 1dc in next st.

Join side and sleeve seams. Insert Sleeves. Sew on buttons.

Shorts

BACK AND FRONT (alike)

With No 3¼ mm needles, cast on 52 [56] sts and work in **rib patt** as follows: **1st row**—(Right side), P1, * K2, P2; rep from * to last 3 sts, K2, P1.

2nd row—K1, * P2, K2; rep from * to last 3 sts, P2, K1.

Rep these 2 rows 3 times more.

Change to No 4 mm needles and continue in rib patt until work measures 21 cm, ending with a 2nd row.

Work leg and crutch as follows: Rib 21 [23] sts, turn and leave remaining sts on a spare needle.

Work 9 rows in rib. Cast off evenly in rib.

With right side facing, rejoin yarn to remaining sts, cast off 10 sts and rib to end.

Work to match first leg. Cast off evenly in rib.

TO MAKE UP

For pressing instructions, see first page of text.

Join side, crutch and leg seams. Cut elastic to fit waist, join in a ring and sew inside waist ribbing, using herringbone stitch over elastic to form a casing.

10

Sleeveless all-in-one and sweater

Materials: Patons Beehive Knits as 4 ply, **All-in-One:** 2 [2] (50 gram) balls in Main Shade and oddment in 1st and 2nd Contrasts, **Sweater:** 2 [2] (50 gram) balls in Main Shade and 1 [1] (50 gram) ball each in 1st and 2nd Contrasts, or Patons Fairytale 4 ply, **All-in-One:** 4 [5] (20 gram) balls in Main Shade and oddment in 1st and 2nd Contrasts, **Sweater:** 4 [4] (20 gram) balls in Main Shade and 1 [1] (20 gram) ball each in 1st and 2nd Contrasts.

Pair each Nos 2¾ mm and 3¼ mm Milward needles. Needle sizes quoted are Metric: equivalent UK sizes are No 12 for 2¾ mm and No 10 for 3¼ mm.

No 2.50 mm (12) Milward crochet hook.

20 [23] cm (8 [9] in) zip for All-in-One.

4 buttons for Sweater.

Measurements: To fit chest 46 [51] cm (18 [20] in); garment measures 46 [51] cm (18 [20] in); **All-in-One:** length at centre front to crutch, 21 [23] cm (8½ [9] in); leg seam, 17 [19] cm (6¾ [7½] in), **Sweater:** length from top of shoulders, 25 [28] cm (10 [11] in); sleeve seam, 15 [18] cm (6 [7] in).

Tension: On No 3¼ mm needles, 28 sts and 36 rows to 10 cm (stocking stitch).

For notes and abbreviations, see first page of text.

Special abbreviations

MS=Main Shade; 1st C=1st Contrast; 2nd C=2nd Contrast.

Note

When working in stripes, carry colour not in use loosely up side of work.

All-in-one

RIGHT LEG

****** With No 3¼ mm needles and MS, cast on 14 [16] sts for instep and starting with a K row, work in stocking stitch for 16 [18] rows. ******

Next row—Cast on 8 [9] sts, K to end. **Next row**—Cast on 16 [17] sts, P to end (38 [42] sts).

******* Work 4 [6] rows.

Shape leg by inc 1 st at each end of next and every following 4th row until there are 56 [64] sts. Work 1 row.

Now inc 1 st at each end of next and every alt row until there are 72 [80] sts. Cast on 2 sts at beg of next 2 rows (76 [84] sts).

Work 1 row, thus ending with right side facing for next row

Shape front slope and back seam by dec 1 st at each end of next and every following 8th [9th] row until 66 [74] sts remain. Work 3 [5] rows.

Now dec 1 st at each end of next row (64 [72] sts). *******

Work 4 rows, thus ending with **wrong** side facing for next row.

****** Shape back:** **1st row**—P32 [36], turn. **2nd and every alt row**—K. **3rd row**—P26 [30], turn. **5th row**—P20 [24], turn.

7th row—P14 [18], turn. **9th row**—P8 [12], turn. **10th row**—K. ****** 11th row**—P across all sts.

Leave these sts on a spare needle.

LEFT LEG

Work as for Right Leg from ****** to ******.

Next row—Cast on 16 [17] sts, K to end. **Next row**—Cast on 8 [9] sts, P to end (38 [42] sts).

Work as for Right Leg from ******* to *******.

Work 5 rows, thus ending with right side facing for next row.

Now work as for Right Leg from ******** to ********, reading K for P and P for K.

Bodice: K64 [72] sts of Left Leg, then K64 [72] sts of Right Leg (128 [144] sts). **Next row**—P.

Continue in stocking stitch, join in 1st C and work 2 rows. Break 1st C, in MS work 2 rows, join in 2nd C and work 2 rows. Break 2nd C and continue in MS and stocking stitch until Bodice measures 6 cm from point where work was joined, ending with right side facing for next row.

Divide for armholes: **Next row**—K29 [33], slip these sts on a length of yarn, cast off 6, K58 [66] (including st on needle after cast off), slip these sts on a length of yarn, cast off 6, K to end.

Continue on these 29 [33] sts for right back dec 1 st at armhole edge on every row until 23 [25] sts remain. Work 1 row. Now dec 1 st at beg of next row (22 [24] sts).

Work straight until armhole measures 10 [11] cm, ending with right side facing for next row.

Shape shoulder by casting off 4 sts at beg of next and following alt row. Work 1 row. Cast off 3 [4] sts at beg of next row.

Leave remaining 11 [12] sts on a length of yarn.

With **wrong** side facing, rejoin MS to centre 58 [66] sts for Front and dec 1 st at each end of every row until 46 [50] sts remain. Work 1 row.

Dec 1 st at each end of next row (44 [48] sts). Work one row.

Divide for neck: **Next row**—K14 [15], K2tog, turn and leave remaining sts on a spare needle.

Continue on these 15 [16] sts for first side dec 1 st at neck edge on every row until 11 [12] sts remain.

Work straight until armhole measures 10 [11] cm, ending with right side facing for next row.

Shape shoulder by casting off 4 sts at beg of next and following alt row. Work 1 row. Cast off remaining 3 [4] sts.

With right side facing, leave centre 12 [14] sts on a length of yarn, rejoin MS to remaining sts, K2tog, K to end.

Work to match first side, reversing shapings.

With **wrong** side facing, rejoin MS to remaining 29 [33] sts for left back and work to match right back, reversing shapings.

Right Foot: With right side facing, No 3¼ mm needles and MS, start at leg seam and work as follows: **knit up** 16 [17] sts from cast-on sts at ankle, 10 [11] sts along side of instep, 14 [16] sts from cast-on sts, 10 [11] sts along other side of instep, then 8 [9] sts from cast-on sts at ankle (58 [64] sts).

Work 13 rows in garter stitch (every row K).

Shape foot: **1st row**—K3, K2togtbl, K2tog, K24 [27], K2togtbl, K2tog, K23 [26]. **2nd row**—K.

3rd row—K2, K2togtbl, K2tog, K22 [25], K2togtbl, K2tog, K22 [25]. **4th row**—K. **5th row**—K1, K2togtbl, K2tog, K20 [23], K2togtbl, K2tog, K21 [24] (46 [52] sts). Cast off.

Left Foot: With right side facing, No 3¼ mm needles and MS, start at leg seam and work as follows: **knit up** 8 [9] sts from cast-on sts at ankle, 10 [11] sts along other side of instep, 14 [16] sts from cast-on sts, 10 [11] sts along other side of instep, then 16 [17] sts from cast-on sts at ankle (58 [64] sts). Work 13 rows in garter stitch.

Shape foot: **1st row**—K23 [26], K2togtbl, K2tog, K24 [27], K2togtbl, K2tog, K2. **2nd row**—K. **3rd row**—K22 [25], K2togtbl, K2tog, K22 [25], K2togtbl, K2tog, K2.

4th row—K. **5th row**—K21 [24], K2togtbl, K2tog, K20 [23], K2togtbl, K2tog, K1 (46 [52] sts). Cast off.

MAKE UP AND BORDERS

For pressing instructions, see first page of text.

Armhole Borders: With right side facing, No 2¼ mm needles and 1st C, **knit up** 68 [76] sts round each armhole. Work 1 row in K1, P1 rib.

Break 1st C, join in MS and K 1 row. Work 1 row in rib. Break MS, join in 2nd C and K 1 row. Work 1 row in rib. Cast off evenly in rib.

Join shoulder seams.

Neck Border: With right side facing, No 2¼ mm needles and 1st C, work as follows: K11 [12] from left side of back, **knit up** 25 [28] sts down left side of neck, K12 [14] from front inc 1 st at centre, **knit up** 25 [28] sts up right side of neck, then K11 [12] from right side of back (85 [95] sts).

Next row—P1, * K1, P1; rep from * to end.

Break 1st C, join in MS and K1 row. Work 1 row in rib as before. Break MS, join in 2nd C and K 1 row. Work 1 row in rib as before. Cast off evenly in rib.

Join foot and leg seams, then join back seam leaving 20 [23] cm open for zip.

With right side facing, MS and crochet hook, work 1 row double crochet all round back opening. Insert zip.

Sweater

BACK

** With No 2¼ mm needles and MS, cast on 62 [68] sts and work in K1, P1 rib for 2 cm.

Next row—Rib 7, M1, (rib 16 [18], M1) 3 times, rib to end (66 [72] sts).

Change to No 3¼ mm needles and starting with a K row, work in stocking stitch until Back measures 15 [17] cm, ending with a P row.

Shape raglans by casting off 3 sts at beg of next 2 rows. **

Divide for back opening: **Next row**—K27 [30], turn and leave remaining sts on a spare needle.

Continue on these sts for first side and work 1 row. **Next row**—K2, K2tog, K to end. **Next row**—P. Rep last 2 rows until 11 [12] sts remain, ending with a P row.

Next row—K2, K2tog, K to end. **Next row**—P to last 4 sts, P2tog, P2.

Slip these 9 [10] sts on a length of yarn.

With right side facing, slip centre 6 sts on a safety-pin, rejoin yarn to remaining sts, K to end.

Work to match first side, reversing shapings, noting that K2togtbl will be worked in place of K2tog at raglan shaping.

FRONT

Work as for Back from ** to **.

Work 2 rows. **Next row**—K2, K2tog, K to last 4 sts, K2togtbl, K2. **Next row**—P.

Rep last 2 rows until 38 [44] sts remain, ending with a P row.

Divide for neck as follows: **Next row**—K2, K2tog, K9 [12], turn and leave remaining sts on a spare needle.

Continue on these sts for first side, dec 1 st at raglan edge as before, at the same time dec 1 st at neck edge on next 4 [5] rows (6 [8] sts).

Dec 1 st at raglan edge only as before until 3 sts remain. **Next row**—P2tog, P1. **Next row**—K2tog and fasten off.

With right side facing, slip centre 12 sts on a length of yarn, rejoin yarn to remaining sts, K to last 4 sts, K2togtbl, K2.

Work to match first side, reversing shapings.

SLEEVES

With No 2¼ mm needles and MS, cast on 34 [36] sts and work in K1, P1 rib for 2 cm.

Next row—Rib 3, M1, (rib 9 [10], M1) 3 times, rib to end (38 [40] sts).

Change to No 3¼ mm needles and starting with a K row, work in **stripe patt** of 2 rows 1st C, 2 rows MS, 2 rows 2nd C, 8 rows MS, at the same time shape sides by inc 1 st at each end of 5th and every following 5th [7th] row until there are 52 [54] sts.

Work straight until sleeve seam measures 15 [18] cm, ending with a P row.

Keeping continuity of stripes, **shape raglans** by casting off 3 sts at beg of next 2 rows.

Next row—K2, K2tog, K to last 4 sts, K2togtbl, K2. **Next row**—P.

Rep last 2 rows until 16 [12] sts remain, ending with a P row.

Next row—K2, K2tog, K to last 4 sts, K2togtbl, K2. **Next row**—P2, P2togtbl, P to last 4 sts, P2tog, P2.

Rep last 2 rows 1 [0] time (8 sts).

Next row—K2, K2tog, K2togtbl, K2. **Next row**—P1, P2togtbl, P2tog, P1. Slip remaining 4 sts on a safety-pin.

MAKE UP AND BORDERS

For pressing instructions, see first page of text.

Join raglan, side and sleeve seams.

Neck Border: With right side facing, No 2¼ mm needles and MS, starting at top of left back opening, work as follows: K9 [10] sts across left back, 4 from safety-pin, **knit up** 10 [14] sts down left side of neck, K12 from front dec 1 st at centre, **knit up** 10 [14] sts up right side of neck, K4 from safety-pin, then 9 [10] across right back (57 [67] sts).

Work in P1, K1 rib for 4 cm, rows on **wrong** side having a P1 at each end.

Using a No 3¼ mm needle, cast off loosely in rib.

Fold Neck Border in half to wrong side and slip-hem loosely in position.

Button Border: With No 2¼ mm needles and MS, cast on 9 sts and work in rib as follows:

1st row—K2, (P1, K1) 3 times, K1. **2nd row**—(K1, P1) 4 times, K1.

Rep these 2 rows until Border, when slightly stretched, fits up left back for Girl, right back for Boy to top of Neck Border. Sew in position as you go along. Cast off evenly in rib.

Buttonhole Border: With right side facing, No 2¼ mm needles and MS, K across 6 centre back sts as follows: K2, (M1, K1) 3 times, K1.

Starting with a 2nd row, work in rib as for Button Border with the addition of 4 buttonholes, first to come 1 cm up from start of back opening, 4th at centre of Neck Border and remaining 2 spaced evenly between.

First mark position of buttons on Button Border with pins to ensure even spacing, then work buttonholes to correspond.

To make a buttonhole—(Right side), rib 3, cast off 2, rib to end and back casting on 2 over those cast off.

Lightly stitch Button Border at base of opening on wrong side. Sew on buttons.

11

Cross-over cardigan

Materials: Patons Beehive Knits as 4 ply, 2 [2] (50 gram) balls or Patons Fairytale 4 ply, 3 [3] (20 gram) balls.

Pair each Nos 2¼ mm and 3¼ mm Milward needles. Needle sizes quoted are Metric: equivalent UK sizes are No 12 for 2¼ mm and No 10 for 3¼ mm.

4 buttons.

Measurements: To fit chest 46 [51] cm (18 [20] in); garment measures 48 [52] cm (19 [20½] in); length from top of shoulders, 23 [25] cm (9 [10] in); sleeve seam, 17 [19] cm (6½ [7½] in).

Tension: On No 3¼ mm needles, 28 sts and 36 rows to 10 cm (stocking stitch).

For notes and abbreviations, see first page of text.

BACK AND FRONTS

(Worked in one piece to division for armholes)

With No 2¼ mm needles, cast on 117 [127] sts.

1st row—(Right side), K2, * P1, K1; rep from * to last st, K1. **2nd row**—K1, * P1, K1; rep from * to end.

3rd row—(Buttonhole row), rib 3, cast off 2, rib 10 [12] (including st on needle after cast off), cast off 2, rib to end. **4th row**—In rib casting on 2 over those cast off.

Work a further 10 [14] rows in rib. Rep 3rd and 4th rows once. Work 1 row more in rib.

Next row—Rib 5 [10], (inc in next st, rib 20) 5 times, inc in next st, rib to end (123 [133] sts).

Change to No 3¼ mm needles and patt: **1st row**—K2tog, yfwd, K4, * yfwd, sL1K, K1, pssso, K3; rep from * to last 2 sts, yfwd, sL1K, K1, pssso. **2nd and every alt row**—K1, P to last st, K1.

3rd row—K4, * K2tog, yfwd, K1, yfwd, sL1K, K1, pssso, K5; rep from * to last 9 sts, K2tog, yfwd, K1, yfwd, sL1K, K1, pssso, K4. **5th row**—K3, * K2tog, yfwd, K3, yfwd, sL1K, K1, pssso, K3; rep from * to end.

7th row—K2, * (K2tog, yfwd) twice, K1, (yfwd, sL1K, K1, pssso) twice, K1; rep from * to last st, K1. **9th row**—K1, K2tog, yfwd, K2, * yfwd, sL1K, K2tog, pssso, yfwd, K2; rep from * to last 3 sts, yfwd, sL1K, K1, pssso, K1. **10th row**—As 2nd.

These 10 rows form patt.

Keeping continuity of patt, **shape front slope** by dec 1 st at each end of next and every following 4th row until 113 [123] sts remain. Work 1 row.

Divide for Fronts and Back: **Next row**—Patt 31 [34], turn and leave remaining sts on a spare needle.

Continue on these 31 [34] sts for Right Front and work 1 row. Dec 1 st at front edge on next and every alt row until 17 [18] sts remain.

Work straight until Right Front measures 10 [11] cm from division row, ending with **wrong** side facing for next row.

Shape shoulder by casting off 6 sts at beg of next and following alt row. Work 1 row. Cast off remaining 5 [6] sts.

With right side facing, rejoin yarn to sts on spare needle, patt 51 [55] sts for Back, turn and leave remaining sts on spare needle.

Continue in patt on these sts until Back measures same as Right Front to start of shoulder shaping, ending with right side facing for next row.

Shape shoulders by casting off 6 sts at beg of next 4 rows, then 5 [6] sts at beg of next 2 rows. Cast off remaining 17 [19] sts.

With right side facing, rejoin yarn to remaining sts on spare needle for Left Front and work to match Right Front, reversing shapings.

SLEEVES

With No 2¾ mm needles, cast on 35 [37] sts. Work 17 [19] rows in rib as on Back and Fronts.

Next row—Rib 3, (M1, rib 4 [2]) 7 [15] times, M1, rib 4 (43 [53] sts).

Change to No 3¼ mm needles and work in patt as on Back and Fronts until Sleeve measures 17 [19] cm at centre, ending with right side facing. Cast off.

MAKE UP AND FRONT BORDER

For pressing instructions, see first page of text.

Join shoulder seams.

Front Border: With right side facing and No 2¾ mm needles, starting at lower edge of right front **knit up** 14 [18] sts from welt, 49 [53] up front edge to shoulder, 19 [21] from back, 49 [53] sts down left front to top of welt, 14 [18] sts from welt (145 [163] sts).

Starting with a 2nd row, work 3 rows in rib as on welt. Cast off evenly in rib.

Join sleeve seams. Insert Sleeves.

Sew on buttons.

12

Dungarees, sweater and socks

Materials: **Dungarees:** Patons Beehive Double Knitting, 2 [2] (50 gram) balls in Main Shade, 1 [1] (50 gram) ball in 1st Contrast and oddment of 2nd Contrast. **Sweater:** Patons Beehive Knits as 4 ply, 2 [2] (50 gram) balls. **Socks:** Patons Beehive Double Knitting, 1 [1] (50 gram) ball, or **Dungarees:** Patons Fairytale Double Knitting, 5 [6] (20 gram) balls in Main Shade, 2 [3] (20 gram) balls in 1st Contrast and 1 [1] (20 gram) ball in 2nd Contrast. **Sweater:** Patons Fairytale 4 ply, 4 [5] (20 gram) balls, **Socks:** Patons Fairytale Double Knitting, 2 [2] (20 gram) balls.

Pair each Nos 2¾ mm, 3¼ mm and 4 mm Milward needles. Needle sizes quoted are

Metric: equivalent UK sizes are No 12 for 2¾ mm, No 10 for 3¼ mm and No 8 for 4 mm.

No 2-50 mm (12) Milward crochet hook.

2 buttons for Dungarees. 3 buttons for Sweater.

Measurements: **Dungarees:** length at centre front, 28 [30] cm (11 [12] in); inside leg seam, 20 [22] cm (8 [8¾] in). **Sweater:** To fit chest 46 [51] cm (18 [20] in); garment measures 47 [51] cm (18½ [20] in); length from top of shoulders, 28 [29] cm (11 [11½] in); sleeve seam, 15 [18] cm (6 [7] in).

Tension: On No 4 mm needles, 22 sts and 30 rows to 10 cm (stocking stitch) using Double Knitting.

On No 3¼ mm needles, 28 sts and 36 rows to 10 cm (stocking stitch) using 4 ply.

For notes and abbreviations, see first page of text.

Special abbreviations

MS=Main Shade; 1st C=1st Contrast; 2nd C=2nd Contrast.

Note

When working from chart, **do not** carry colours across wrong side of work, but use separate balls as required, twisting yarn when changing colour to avoid a hole. Read odd rows K from right to left and even rows P from left to right.

Dungarees

FRONT AND BACK (Alike)

1st Leg: ** With No 3¼ mm needles and 1st C, cast on 20 [22] sts and work in K1, P1 rib for 2 cm.

Next row—Rib 1 [2], (M1, rib 3) 6 times, M1, rib 1 [2] (27 [29] sts). Break 1st C.

Change to No 4 mm needles, join in MS and starting with a K row, work in stocking stitch until Leg measures 19 [21] cm, ending with a P row. **

Shape top by inc 1 st at beg of next and at same edge on following 3 rows (31 [33] sts). Leave sts on a spare needle.

2nd Leg: Work as 1st Leg from ** to **.

Shape top by inc 1 st at end of next and at same edge on following 3 rows (31 [33] sts).

Join Legs together: **Next row**—In MS, K31 [33] sts from 2nd Leg, cast on 7 sts, then K31 [33] sts from 1st Leg (69 [73] sts).

Continue in stocking stitch across all sts, until work measures 10 [12] cm from 7 cast-on sts, ending with a P row.

Joining in and breaking off colours as required, **place motifs** as follows:

Next row—In MS, K4 [6], (K 17 sts as 1st row of chart, in MS K5) twice, K 17 sts as 1st row of chart, in MS K4 [6].

Next row—In MS P4 [6], (P17 sts as 2nd row of chart, in MS P5) twice, P17 sts as 2nd row of chart, in MS P4 [6].

Continue thus, working appropriate rows of chart, until the 20 rows have been worked.

Continue in MS and work a few rows straight until Front measures 18 [20] cm from 7 cast-on sts, ending with a P row.


Shape bib by casting off 4 sts at beg of next 2 rows. Now dec 1 st at each end of next 9 rows, then on every alt row until 29 [33] sts remain, thus ending with a K row. Break MS.

Join in 2nd C. **Next row**—In 2nd C, P to end.

Change to No 3¼ mm needles and work in **moss stitch** as follows: **Next row**—K1, * P1, K1; rep from * to end.

Rep last row until moss stitch measures 2 cm. Cast off evenly in moss stitch.

Join side seams.



EDGING AND STRAPS (2)

With No 3¼ mm needles and 2nd C, cast on 7 sts and work in **moss stitch** as follows: **Next row**—K1, * P1, K1; rep from * to end.

Rep last row until Edging fits from top of bib edging at back, down side of bib to side seam, up Front to top of bib edging. Sew in position as you go along.

Now work a further 20 [23] cm for Strap, ending with right side facing. **Next row**—K1, P1, K1, yfwd, K2tog, P1, K1. Work 2 rows. Cast off evenly in moss stitch.

Join inside leg seams. Sew buttons on bib border at back to match buttonholes.

Sweater

BACK

With No 2¾ mm needles, cast on 66 [72] sts and work in K1, P1 rib for 2 cm.

Change to No 3¼ mm needles and starting with a K row, work in stocking stitch until Back measures 19 cm, ending with a P row.

Shape armholes by casting off 3 sts at beg of next 2 rows, then dec 1 st at each end of next 4 [5] rows (52 [56] sts).

Work straight until Back measures 28 [29] cm, ending with a P row.

Shape shoulders by casting off 5 sts at beg of next 4 rows, then 5 [6] sts at beg of next 2 rows.

Leave remaining 22 [24] sts on a spare needle.

FRONT

Work as for Back until 8 [10] rows less have been worked before start of shoulder shaping, thus ending with a P row.

Divide for neck: **Next row**—K18 [19], K2tog, turn and leave remaining sts on a spare needle.

Continue on these 19 [20] sts for first side dec 1 st at neck edge on next 4 rows. Work 3 [5] rows.

Shape shoulder by casting off 5 sts at beg of next and following alt row. Work 1 row. Cast off remaining 5 [6] sts.

With right side facing, leave centre 12 [14] sts on spare needle, rejoin yarn to remaining sts, K2tog, K to end.

Work to match first side, reversing shapings.

SLEEVES

With No 2¾ mm needles, cast on 36 [38] sts and work in K1, P1 rib for 2 cm.

Next row—Rib 3 [4], (M1, rib 6) 5 times, M1, rib 3 [4] (42 [44] sts).

Change to No 3¼ mm needles and starting with a K row, work in stocking stitch, shaping sides by inc 1 st at each end of next and every following 8th [7th] row until there are 52 [58] sts.

Work straight until sleeve seam measures 15 [18] cm, ending with a P row.

Shape top by casting off 3 sts at beg of next 2 rows, then dec 1 st at each end of next and every alt row until 36 [40] sts remain.

Now dec 1 st at each end of every row until 14 sts remain. Cast off.

MAKE UP AND NECK BORDER

For pressing instructions, see first page of text.

Join right shoulder and 1 cm of left shoulder seam. Join side and sleeve seams. Insert Sleeves.

With right side facing and No 2¾ mm needles, **knit up** 14 [16] sts down left side of neck, K12 [14] from centre, **knit up** 14 [16] sts up right side, K22 [24] from back inc 1 st at centre (63 [71] sts).

Work 14 rows in P1, K1, rib, rows on **wrong** side having a P1 at each end. Using a No 3¼ mm needle, cast off loosely in rib.

Fold Neck Border in half to wrong side and slip-hem loosely in position.

With right side facing and crochet hook, starting at top of Neck Border, work 1 row dc along opening to top of Neck Border on Front.

Work a further row of dc, making 3 button-loops on front edge, first to come at start of row, 3rd 1 cm from shoulder seam and remaining one spaced evenly between. Fasten off.

First mark position of buttons on back edge with pins to ensure even spacing, then work buttonloops to correspond.

To make a buttonloop—(Wrong side), 2ch, miss 1 st, 1dc in next st.

Sew on buttons.

Socks

With No 3¼ mm needles, cast on 32 [36] sts and work in K1, P1 rib for 2 cm.

Change to No 4 mm needles and starting with a K row, work in stocking stitch, shaping sides by dec 1 st at each end of 15th and every following 4th row until 22 [26] sts remain. Work 5 rows.

Divide for foot: 1st row—K15 [18], turn. **2nd row**—P8 [10], turn. **3rd row**—K8 [10], turn.

Rep 2nd and 3rd rows 4 [5] times more, then 2nd row again. Break yarn. Leave these sts on a safety-pin.

With right side facing, rejoin yarn to inside edge where 7 [8] sts were left and **knit up** 8 [10] sts along side of foot, K8 [10] sts from safety-pin, **knit up** 8 [10] sts down side of foot, K to end (38 [46] sts). Work 9 rows in garter stitch (every row K).

Shape foot: 1st row—(K1, K2tog, K13 [17], K2tog, K1) twice. **2nd and 4th rows**—K. **3rd row**—(K1, K2tog, K11 [15], K2tog, K1) twice. **5th row**—(K1, K2tog, K9 [13], K2tog, K1) twice. Cast off.

TO MAKE UP

For pressing instructions, see first page of text.

Join leg and foot seams.

13

Dress, pants and shoes

Materials: Patons Fairytale 3 ply, **Dress:** 4 [4] (20 gram) balls, **Pants:** 2 [2] (20 gram) balls, **Shoes:** 1 (20 gram) ball.

Pair each Nos 2¼ mm and 3 mm Milward needles. Needle sizes quoted are Metric: equivalent UK sizes are No 13 for 2¼ mm and No 11 for 3 mm.

4 buttons and a length of ribbon for Dress.

Length of elastic for waist of Pants and cuffs of Dress.

2 buttons for Shoes.

Measurements: **Dress:** To fit chest 46 [51] cm (18 [20] in); garment measures 46 [51] cm (18 [20] in); length from top of shoulders, 29 [32] cm (11½ [12½] in); sleeve seam, 15 [18] cm (6 [7] in); **Pants:** length from crotch to waist, 20 [24] cm (8 [9½] in).

Tension: On No 3 mm needles, 32 sts and 40 rows to 10 cm (stocking stitch).

For notes and abbreviations, see first page of text.

Dress

BACK

** With No 3 mm needles, cast on 105 [113] sts and K 1 row.

Now work in **patt** as follows: **1st row**—(Right side), K1, * sL1K, K1, pssso, (K1, yfwd) twice, K1, K2tog, K1; rep from * to end.

2nd row—P1, * P2tog, (P1, yrn) twice, P1, P2togtbl, yrn; rep from * to end. **3rd row**—K1, * yfwd, sL1K, K1, pssso, K3, K2tog, yfwd, K1; rep from * to end.

4th row—P2, * yrn, P2tog, P1, P2togtbl, yrn, P3; rep from * to last 7 sts, yrn, P2tog, P1, P2togtbl, yrn, P2. **5th row**—K3, * yfwd, sL2K, K1, p2sso, yfwd, K5; rep from * to last 6 sts, yfwd, sL2K, K1, p2sso, yfwd, K3. **6th row**—As 2nd. **7th row**—As 1st.

8th row—P1, * yrn, P2tog, P3, P2togtbl, yrn, P1; rep from * to end. **9th row**—K2, * yfwd, sL1K, K1, pssso, K1, K2tog, yfwd, K3; rep from * to last 7 sts, yfwd, sL1K, K1, pssso, K1, K2tog, yfwd, K2.

10th row—P3, * yrn, sL2P, P1, p2sso, yrn, P5; rep from * to last 6 sts, yrn, sL2P, P1, p2sso, yrn, P3.

These 10 rows form **patt**.

Continue in **patt** until Back measures 19 [21] cm, ending with **wrong** side facing for next row.

Next row—P7 [11], * P2tog, P1; rep from * to last 8 [12] sts, P2tog, P6 [10] (74 [82] sts). **Next row**—K4 [3], * yfwd, K2tog, K3; rep from * to last 5 [4] sts, yfwd, K2tog, K3 [2]. **Next row**—P.**

Shape armholes and divide for back opening as follows: **Next row**—Cast off 3, K34 [38] (including st on needle after cast off), turn and leave remaining sts on a spare needle. **Next row**—K2, P to end.

Now work in stocking stitch keeping 2 sts K at inside edge on every row dec 1 st at armhole

edge on next 3 rows, then on every alt row until 29 [31] sts remain.

Continue in stocking stitch until Back measures 29 [32] cm, ending with a P row.

Shape shoulder by casting off 5 sts at beg of next and following alt row. Work 1 row. Cast off 6 sts, K to end.

Leave remaining 13 [15] sts on a length of yarn.

With right side facing, rejoin yarn to remaining 37 [41] sts, cast on 2 sts for underflap, K to end (39 [43] sts). **Next row**—Cast off 3 sts, P to last 2 sts, K2.

Now work in stocking stitch keeping 2 sts K at inside edge on every row dec 1 st at armhole edge on next 3 rows, then on every alt row until 31 [33] sts remain.

Work to match first side, reversing shapings. Leave remaining 15 [17] sts on a length of yarn.

FRONT

Work as for Back from ** to **.

Starting with a K row, work in stocking stitch and **shape armholes** by casting off 3 sts at beg of next 2 rows, then dec 1 st at each end of next 3 rows, then on every alt row until 58 [62] sts remain.

Work straight until Front measures 26 [28] cm, ending with a P row.

Shape neck as follows: **Next row**—K24 [26], turn and leave remaining sts on a spare needle.

Dec 1 st at neck edge on every row until 16 sts remain.

Work a few rows straight until Front matches Back to start of shoulder shaping, ending with a P row.

Shape shoulder by casting off 5 sts at beg of next and following alt row. Work 1 row. Cast off remaining 6 sts.

With right side facing, slip centre 10 sts on a length of yarn, rejoin yarn to remaining sts and K to end.

Work to match first side, reversing shapings.

SLEEVES

With No 2¼ mm needles, cast on 43 [45] sts and starting with a K row, work 6 rows stocking stitch.

Next row—(Picot row), K1, * yfwd, K2tog; rep from * to end.

Starting with a P row, work 6 rows stocking stitch.

Next row—P6 [7], * M1, P2; rep from * to last 7 [8] sts, M1, P to end (59 [61] sts).

Change to No 3 mm needles and work in **patt** as follows: **1st row**—(Right side), K2 [3], * sL1K, K1, pssso, (K1, yfwd) twice, K1, K2tog, K1; rep from * to last 1 [2] sts, K1 [2].

2nd row—P2 [3], * P2tog, (P1, yrn) twice, P1, P2togtbl, P1; rep from * to last 1 [2] sts, P1 [2]. **3rd row**—K2 [3], * yfwd, sL1K, K1, pssso, K3, K2tog, yfwd, K1; rep from * to last 1 [2] sts, K1 [2].

4th row—P3 [4], * yrn, P2tog, P1, P2togtbl, yrn, P3; rep from * to last 0 [1] st, P0 [1]. **5th row**—K4 [5], * yfwd, sL2K, K1, p2sso, yfwd, K5; rep from * to last 7 [8] sts, yfwd, sL2K, K1, p2sso, yfwd, K4 [5]. **6th row**—As 2nd. **7th row**—As 1st.

8th row—P2 [3], * yrn, P2tog, P3, P2togtbl, yrn, P1; rep from * to last 1 [2] sts, P1 [2]. **9th row**—K3 [4], * yfwd, sL1K, K1, pssso, K1, K2tog, yfwd, K3; rep from * to last 0 [1] st, K0 [1].

10th row—P4 [5], * yrn, sL2P, P1, p2sso, yrn, P5; rep from * to last 7 [8] sts, yrn, sL2P, P1, p2sso, yrn, P4 [5].

These 10 rows form **patt**.

Continue in patt until sleeve seam measures 15 [18] cm from **picot row**, ending with right side facing for next row.

Keeping continuity of patt, **shape top** by casting off 3 sts at beg of next 2 rows, then dec 1 st at each end of next and every alt row until 31 [27] sts remain.

Now dec 1 st at each end of every row until 17 sts remain. Cast off.

MAKE UP AND NECK BORDER

For pressing instructions, see first page of text.

Join shoulder seams.

With right side facing and No 2½ mm needles, K15 [17] sts from left back of neck, **knit up** 14 [16] sts down left side of neck, K5, M1, K5 from centre front, **knit up** 14 [16] sts up right side of neck, then K13 [15] from right back of neck (67 [75] sts).

Starting with a P row and keeping 2 sts K on every row as before, work 5 rows stocking stitch.

Next row—(Picot row), K2, * yfwd, K2tog; rep from * to last st, K1.

Starting with a P row, work 5 rows stocking stitch. Cast off.

Join side and sleeve seams. Insert Sleeves.

Cut elastic to fit wrists and join in a ring. Fold cuffs at row of holes over elastic and slip hem loosely in position.

Fold Neck Border at row of holes at neck to wrong side and slip-hem loosely in position. Catch down underflap at base of back opening.

Make 4 buttonloops and sew on buttons to correspond on underflap.

Thread ribbon through holes at underarm. Tie at front.

Pants

BACK

** With No 2½ mm needles, cast on 84 [92] sts and work in K1, P1 rib for 6 cm.**

Change to No 3 mm needles and starting with a K row, work 2 rows in stocking stitch.

Continue in stocking stitch and **shape back** as follows: **1st and 2nd rows**—Work to last 32 [36] sts, turn. **3rd and 4th rows**—Work to last 24 [27] sts, turn. **5th and 6th rows**—Work to last 16 [18] sts, turn.

7th and 8th rows—Work to last 8 [9] sts, turn. **9th row**—K to end. **10th row**—P across all sts.

*** Continue in stocking stitch until Back measures 14 [17] cm at side edge, ending with a P row.

Shape legs by casting off 5 [6] sts at beg of next 2 rows, then dec 1 st at each end of every row until 22 [24] sts remain. Work 8 [10] rows. Cast off.

FRONT

Work as for Back from ** to **.

Change to No 3 mm needles and work as for Back from *** to end.

MAKE UP AND LEG BORDERS

For pressing instructions, see first page of text.

Join side seams.

With right side facing and No 2½ mm needles, **knit up** 89 [95] sts along leg.

Starting with a P row, work 5 rows stocking stitch.

Next row—(Picot row), K1, * yfwd, K2tog; rep from * to end. Starting with a P row, work 6 rows stocking stitch. Cast off.

Join cast-off edges and Borders at crutch.

Fold Leg Borders at picot row to wrong side and slip-hem loosely in position.

Fold waist ribbing in half to wrong side and slip-hem loosely in position, leaving an opening for elastic. Insert elastic, join ends. Close opening.

Shoes

SOLE

With No 2½ mm needles, cast on 22 sts and work in garter stitch (every row K), inc 1 st at each end of first and every alt row until there are 36 sts, then dec 1 st at each end of every alt row until 22 sts remain. Cast off.

UPPER

With No 3 mm needles, cast on 65 sts and K 1 row.

Work 10 rows in patt as on Back of Dress.

Change to No 2½ mm needles. Next row—K24, (K2tog) 4 times, K1, (K2togtbl) 4 times, K24 (57 sts). **Next 2 rows**—K. **Next row**—K10, leave these sts on a spare needle, cast off 37 (including st on needle after cast off), K10.

Next row—K10, cast on 10 sts (20 sts). K 4 rows. Cast off.

With right side facing, rejoin yarn to remaining 10 sts, cast on 10 sts, K across these sts, K to end (20 sts).

Next row—K. **Next row**—K2, yfwd, K2tog, K to end. K 2 rows. Cast off.

TO MAKE UP

For pressing instructions, see first page of text.

Join cast-on edge of upper part to Sole. Join back seam.

Sew on button.

Work second Shoe to match, making buttonhole at opposite end.

down centre), 15 [18] cm (6 [7] in). **Pants:** length from crutch to waist, 20 [24] cm (8 [9½] in).

Tension: On No 3¼ mm needles, 28 sts and 36 rows to 10 cm (stocking stitch).

For notes and abbreviations see first page of text.

Special abbreviations

MS=Main Shade; C=Contrast.

Dress

FRONT

** With No 2½ mm needles and MS, cast on 132 sts and work 5 rows in garter stitch (every row K).

Change to No 3¼ mm needles and work in patt as follows: **1st row**—(Right side), K5, * yfwd, K2tog, K9; rep from * to last 6 sts, yfwd, K2tog, K4. **2nd and every alt row**—P.

3rd row—K4, * (yfwd, K2tog) twice, K7; rep from * to last 7 sts, (yfwd, K2tog) twice, K3. **5th row**—K3, * (yfwd, K2tog) 3 times, K5; rep from * to last 8 sts, (yfwd, K2tog) 3 times, K2.

7th row—K2, * (yfwd, K2tog) 4 times, K3; rep from * to last 9 sts, (yfwd, K2tog) 4 times, K1.

9th row—As 5th. **11th row**—As 3rd. **13th row**—As 1st. **15th row**—K. **16th row**—P. These 16 rows form patt.

Rep these 16 rows twice more.

Starting with a K row, work in stocking stitch until Front measures 24 [25] cm, ending with a P row.

Next row—K0 [7], (K3tog) 1 [0] time, * K2tog; rep from * to last 3 [7] sts, (K3tog) 1 [0] time, K0 [7] (65 [73] sts). Work 3 rows in stocking stitch.

Next row—K1, * yfwd, K2tog; rep from * to end. Work 3 rows in stocking stitch.

Shape armholes by casting off 3 sts at beg of next 2 rows. Now dec 1 st at each end of next and following 2 [4] alt rows (53 [57] sts). **

Work straight until Front measures 32 [34] cm, ending with a P row.

Divide for Neck: Next row—K21 [23], turn and leave remaining sts on a spare needle.

Continue on these sts for first side dec 1 st at neck edge on next 3 rows, then on following 2 [3] alt row (16 [17] sts).

Work straight until Front measures 36 [38] cm, ending with a P row.

Shape shoulder by casting off 8 [9] sts at beg of next row. Work 1 row. Cast off remaining sts.

With right side facing, slip centre 11 sts on a safety-pin, rejoin yarn to remaining sts, K to end.

Work to match first side, reversing shapings.

BACK

Work as for Front from ** to **. Work 1 row.

Divide for back opening: Next row—K23 [25], turn and leave remaining sts on a spare needle.

Continue on these sts for first side until Back matches Front to start of shoulder shaping, ending with a P row.

Shape shoulder by casting off 8 [9] sts at beg of next row, then 8 sts at beg of following alt row. Work 1 row. Leave remaining 7 [8] sts on a safety-pin.

With right side facing, slip centre 7 sts on a safety-pin, rejoin yarn to remaining sts and work to match first side, reversing shapings.

SLEEVES

With No 2½ mm needles and MS, cast on 40 [42] sts and work in K1, P1 rib for 2 cm.

Next row—Rib 2 [4], (M1, rib 4 [3]) 9 [11] times, M1, rib 2 [5] (50 [54] sts).

14

Dress, pants and booties

Materials: Patons Fairytale 4 ply, Dress: 6 [7] (20 gram) balls in Main Shade and 1 [1] (20 gram) ball in Contrast for embroidery, Pants: 2 [2] (20 gram) balls, Booties: 1 [1] (20 gram) ball in Main Shade and 1 [1] (20 gram) ball in Contrast for pompons, or Patons Beehive Knits as 4 ply, Dress: 3 [3] (50 gram) balls in Main Shade and 1 [1] (50 gram) ball in Contrast for embroidery, Pants: 1 [1] (50 gram) ball, Booties: 1 [1] (50 gram) ball in Main Shade and 1 [1] (50 gram) ball in Contrast for pompons.

Pair each Nos 2½ mm and 3¼ mm Milward needles. Needle sizes quoted are Metric: equivalent UK sizes are No 12 for 2½ mm and No 10 for 3¼ mm. 4 buttons for Dress. Length of elastic for Pilch. Length of ribbon for Dress and Booties.

Measurements: Dress: To fit chest 46 [51] cm (18 [20] in); garment measures, 46 [52] cm (18 [20½] in); length from top of shoulders, 36 [38] cm (14 [15] in); sleeve seam (measured

Change to No 3¼ mm needles and starting with a K row, work in stocking stitch until Sleeve measures 15 [18] cm down centre, ending with a P row.

Shape top by casting off 3 sts at beg of next 2 rows, then dec 1 st at each end of next and every alt row until 28 sts remain. Work 1 row. Dec 1 st at each end of every row until 16 sts remain. Cast off.

MAKE UP AND BORDERS

For pressing instructions, see first page of text.

Join shoulder, side and sleeve seams. Insert Sleeves.

Left Back Border: With No 2¼ mm needles and MS, cast on 7 sts and work in rib as follows: **1st row**—(Right side), K2, (P1, K1) twice, K1. **2nd row**—(K1, P1) 3 times, K1.

Rep these 2 rows until Border, when slightly stretched, fits up left back opening, ending with right side facing for next row. Sew in position as you go along. Break yarn. Leave sts on a safety-pin.

Right Back Border: With right side facing, No 2¼ mm needles and MS, K7 sts from safety-pin.

Starting with a 2nd row, work in rib as for Left Back Border with the addition of 3 buttonholes, first to come 1 cm up from division, last 1 cm below neck edge, remaining one spaced evenly between.

First mark position of buttons on Left Back Border with pins to ensure even spacing, then work buttonholes to correspond.

To make a buttonhole—(Right side), rib 3, yrn, P2tog, rib to end. Sew in position as you go along. Break yarn. Leave sts on a safety-pin.

Neatly stitch Left Back Border behind Right Back Border at base of opening.

Neck Border: With right side facing, No 2¼ mm needles and MS, start at top of left back border and rib 7 sts from border, K7 [8] from safety-pin, **knit up** 14 [16] sts down left side of neck, K11 from front, **knit up** 14 [16] sts up right side of neck, K7 [8] from safety-pin, rib 7 from right back border (67 [73] sts).

Starting with a 2nd row, work 3 rows in rib as on Left Back Border.

Next row—Rib to last 4 sts, yrn, P2tog, rib to end. Work a further 3 rows in rib. Cast off evenly in rib. Sew on buttons.

Using MS and C, work embroidery as in photograph.

Thread ribbon through holes at waist. If desired, make 2 pompons in C and attach to each end of ribbon.

Pants

BACK

**** With No 3¼ mm needles**, cast on 18 [20] sts and work as follows: **1st row**—(Right side), K. **2nd row**—K2, P to last 2 sts, K2.

Rep these 2 rows 3 [4] times more.

Shape legs as follows: **1st row**—K2, yfwd, K to last 2 sts, yfwd, K2. **2nd row**—K2, yrn, P to last 2 sts, yrn, K2. Rep last 2 rows until there are 64 [70] sts, ending with a 1st row.

Next row—Cast on 3 [4] sts, P across these sts, P to end. **Next row**—Cast on 3 [4] sts, K across these sts, K to end (70 [78] sts).

Work straight in stocking stitch until Back measures 18 [22] cm down centre, ending with a P row. ******

Shape as follows: **Next 2 rows**—Work to last 10 sts, turn. **Next 2 rows**—Work to last 20 sts, turn. **Next 2 rows**—Work to last 30 sts, turn. **Next row**—K to end. **Next row**—P across all sts.

***** Change to No 2¼ mm needles** and work in K1, P1 rib for 2 cm. Cast off evenly in rib.

FRONT

Work as for Back from ****** to ******. Work 2 rows. Now work from ******* to end.

TO MAKE UP

For pressing instructions, see first page of text.

Join crotch and side seams. Join elastic in a ring and sew inside waist ribbing using heringbone stitch over elastic to form a casing.

Bootees

With No 3¼ mm needles and MS, cast on 39 [43] sts and work 3 rows in garter stitch (every row K).

Now work in **patt** as follows: **1st row**—(Right side), K1, * yfwd, K2tog; rep from * to end. **2nd row**—P. **3rd row**—K2, * yfwd, K2tog; rep from * to last st, K1. **4th row**—P. These 4 rows form **patt**.

Continue in **patt** until work measures 6 cm, ending with a P row.

Divide for foot as follows: **Next row**—K13 [15], **patt** 13 sts, turn. **Next row**—**Patt** 13, turn.

Work 12 rows in **patt** on these 13 sts. Break yarn. Leave sts on a safety-pin.

With right side facing, rejoin yarn at inside edge of 13 [15] sts and **knit up** 11 sts along right side of foot, K13 from safety-pin inc 1 st at centre, **knit up** 11 sts down other side of foot, K across remaining 13 [15] sts (62 [66] sts). K 9 rows.

Shape foot as follows: **Next row**—K2tog, K27 [29], (K2tog) twice, K27 [29], K2tog. **Next row**—K2tog, K25 [27], (K2tog) twice, K25 [27], K2tog. **Next row**—K2tog, K23 [25], (K2tog) twice, K23 [25], K2tog.

Next row—K2tog, K21 [23], (K2tog) twice, K21 [23], K2tog. **Next row**—K2tog, K19 [21], (K2tog) twice, K19 [21], K2tog. Cast off.

TO MAKE UP

For pressing instructions, see first page of text.

Join foot and leg seams. Thread ribbon through holes at ankles. Make 4 pompons in C and attach to each end of ribbon.

15

Coat, leggings bonnet and mitts

Materials: Patons Fairytale 3 ply, Coat: 5 [6] (20 gram) balls, Leggings: 3 [3] (20 gram) balls, Bonnet: 1 (20 gram) ball, Mitts: 1 [1] (20 gram) ball.

Pair each Nos 2¼ mm and 3 mm Milward needles. Needle sizes quoted are Metric: equivalent UK sizes are No 13 for 2¼ mm and No 11 for 3 mm.

3 buttons for Coat. Length of elastic for Leggings. Ribbon for Bonnet and Mitts.

Measurements: Coat: To fit chest 46 [51] cm (18 [20] in); garment measures 46 [51] cm (18 [20] in); length from top of shoulders, 29 [30]

cm (11½ [12] in); sleeve seam, 15 [18] cm (6 [7] in). Leggings: front seam, 20 [22] cm (8 [8½] in).

Tension: On No 3 mm needles, 32 sts and 40 rows to 10 cm (stocking stitch).

For notes and abbreviations, see first page of text.

Coat

BACK

With No 2¼ mm needles, cast on 122 [146] sts and work 5 rows garter stitch (every row K, noting that 1st row is **wrong** side).

Change to No 3 mm needles and work in **patt** as follows: **1st row**—(Right side), P. **2nd row**—K1, * P5tog, (K1, P1, K1, P1, K1) into next st; rep from * to last st, K1. **3rd row**—P.

4th row—K1, * (K1, P1, K1, P1, K1) into next st, P5tog; rep from * to last st, K1. **5th row**—P. **6th row**—K winding yarn round needle 3 times for each st. **7th row**—P dropping extra loops made in previous row.

Rows 2 to 7 form **patt**.

Continue in **patt** until Back measures 18 cm, ending with right side facing for next row. Place a marker at each end of last row.

Continue in **patt** until Back measures 20 cm, ending with right side facing for next row.

1st size: **Next row**—K1, * K2tog; rep from * to last st, K1 (62 sts).

2nd size: **Next row**—K3tog, * K2tog; rep from * to last 3 sts, K3tog (72 sts).

All sizes: Leave remaining 62 [72] sts on a spare needle.

LEFT FRONT

With No 2¼ mm needles, cast on 62 [74] sts and work 5 rows garter stitch.

Change to No 3 mm needles and work in **patt** as for Back until Front matches Back to marker, ending with same **patt** row.

Place a marker at end of last row.

Continue in **patt** until Front measures 20 cm, ending with same **patt** row as on Back and right side facing for next row.

Next row—K1, * K2tog; rep from * to last st, K1 (32 [38] sts). Leave remaining 32 [38] sts on a spare needle.

RIGHT FRONT

Work as for Left Front, placing marker at beg of row.

SLEEVES

With No 2¼ mm needles, cast on 48 [52] sts and work 4 rows garter stitch.

Next row—K2 [3], * M1, K1; rep from * to last 2 [3] sts, K2 [3] (92 [98] sts).

Change to No 3 mm needles and work in **patt** as for Back until sleeve seam measures 15 [18] cm. Place a marker at each end of last row.

Continue in **patt** until sleeve seam measures 17 [20] cm, ending with same **patt** row as on Back and right side facing for next row.

Next row—(K2tog) 17 [14] times, (K1, K2tog) 8 [14] times, (K2tog) 17 [14] times (50 [56] sts).

Leave remaining 50 [56] sts on a spare needle.

YOKE

With **wrong** side facing and No 3 mm needles, work as follows: K32 [38] sts from left front, 50 [56] from left sleeve, 62 [72] from back, 50 [56] from right sleeve, then 32 [38] from right front (226 [260] sts).

1st row—(Right side), K30 [36], K2tog, K2togtbl, K46 [52], K2tog, K2togtbl, K58 [68], K2tog, K2togtbl, K46 [52], K2tog, K2togtbl, K30 [36] (218 [252] sts). **2nd row**—K.

3rd row—K29 [35], K2tog, K2togtbl, K44 [50], K2tog, K2togtbl, K56 [66], K2tog, K2togtbl, K44 [50], K2tog, K2togtbl, K29 [35] (210 [244] sts).

4th row—K.

Continue dec thus on every alt row until 58 [68] sts remain. Cast off.

MAKE UP AND BORDERS

For pressing instructions, see first page of text.

Join side and sleeve seams to markers. Join underarm seam.

Left Border: With No 2¼ mm needles, cast on 7 sts and work in garter stitch until Border, when slightly stretched, fits up Left Front to top of neck edge. Sew in position as you go along. Cast off.

Right Border: Work as for Left Border with the addition of 3 buttonholes, first to come level with start of garter stitch, 3rd 1 cm below top of neck edge and 2nd spaced evenly between.

First mark position of buttons on Left Border with pins to ensure even spacing, then work buttonholes to correspond.

To make a buttonhole—(Right side), K3, cast off 2, K to end and back casting on 2 over those cast off. Sew on buttons.

Leggings

RIGHT LEG

With No 2¼ mm needles, cast on 81 [87] sts and work in K1, P1 rib for 6 cm, rows on right side having a K1 at each end and ending with right side facing for next row.

Change to No 3 mm needles and shape back as follows: **1st row**—K13 [15], turn. **2nd and every alt row**—P to end. **3rd row**—K19 [21], turn. **5th row**—K25 [27], turn.

Continue thus working 6 sts more on every alt row until the row 'K49 [51], turn' has been worked.

Next row—P inc 1 st at end (82 [88] sts). Work 2 rows across all sts.

*** Continue in stocking stitch inc 1 st at each end of 7th and every following 9th row until there are 96 [102] sts.

Continue on these sts until front seam measures 23 [25] cm at short edge, ending with a P row. Place a marker at each end of last row.

Shape leg by dec 1 st at each end of next and every alt row until 62 [68] sts remain, then on every 3rd row until 46 [52] sts remain.

Continue on these sts until leg seam measures 18 [20] cm from markers, ending with a P row.

Divide for foot as follows: **1st row**—K35 [41], turn and leave remaining sts on a safety-pin. **2nd row**—K1, P15, K1, turn and leave remaining sts on a safety-pin.

Work 16 rows in stocking stitch on these 17 sts. Break yarn.

With right side facing, rejoin yarn to inside edge of 18 [24] sts left on safety-pin, **knit up** 12 sts along side of foot, then work across 17 sts as follows: K8, K2tog, K7, **knit up** 12 sts along other side of foot, then K11, from safety-pin (69 [75] sts). K 13 rows.

Shape foot as follows: **1st row**—K3, (K2tog) twice, K30 [33], (K2tog) twice, K28 [31]. **2nd and 4th rows**—K. **3rd row**—K2, (K2tog) twice, K28 [31], (K2tog) twice, K27 [30].

5th row—K1, (K2tog) twice, K26 [29], (K2tog) twice, K26 [29]. Cast off.

LEFT LEG

With No 2¼ mm needles, cast on 81 [87] sts and work in rib as on Right Leg for 6 cm, ending with right side facing for next row.

Change to No 3 mm needles and K 1 row.

Shape back as follows: Work as for Right Leg from * to *, reading 'P' for K and 'K' for P.

Next row—K inc 1 st at end (82 [88] sts). Work 1 row across all sts.

Work as for Right Leg from *** to ***.

Divide for foot as follows: **1st row**—K28, turn and leave remaining sts on a safety-pin. **2nd row**—K1, P15, K1, turn and leave remaining sts on a safety-pin.

Work 16 rows in stocking stitch on these 17 sts. Break yarn.

With right side facing, rejoin yarn to inside edge of 11 sts left on safety-pin, **knit up** 12 sts along side of foot, then work across 17 sts as follows: K8, K2tog, K7, **knit up** 12 sts along other side of foot, then K18 [24] from safety-pin (69 [75] sts). K 13 rows.

Shape foot as follows: **1st row**—K28 [31], (K2tog) twice, K30 [33], (K2tog) twice, K3. **2nd and 4th rows**—K.

3rd row—K27 [30], (K2tog) twice, K28 [31], (K2tog) twice, K2. **5th row**—K26 [29], (K2tog) twice, K26 [29], (K2tog) twice, K1. Cast off.

TO MAKE UP

For pressing instructions, see first page of text.

Join front and back seams to markers, then join leg and foot seams.

Fold ribbing in half to wrong side and slip-hem loosely in position, leaving an opening for elastic. Insert elastic, join ends and close opening.

Bonnet

With No 2¼ mm needles, cast on 122 sts and work 5 rows garter stitch (every row K).

Change to No 3 mm needles and work in patt as for Back of Coat until Bonnet measures 8 cm, ending with right side facing for next row.

Next row—(K2tog) twice, (K1, K2tog) 38 times, (K2tog) twice (80 sts).

Now work in garter stitch until Bonnet measures 12 cm, ending with right side facing for next row.

Shape crown as follows: **1st row**—(K8, K2tog) 8 times. **2nd and every alt row**—K. **3rd row**—(K7, K2tog) 8 times. **5th row**—(K6, K2tog) 8 times.

Continue dec in this way until 8 sts remain. Break yarn, thread through remaining sts and fasten off securely.

TO MAKE UP

For pressing instructions, see first page of text.

Join seam from 1 cm below start of crown to centre of crown.

Sew ribbon to sides leaving ends to tie.

Mitts

With No 2¼ mm needles, cast on 44 [48] sts and work 8 rows garter stitch (every row K).

Next row—K2 [1], * yfwd, K2tog, K1; rep from * to last 0 [2] sts, (yfwd, K2tog) 0 [1] time.

Change to No 3 mm needles, starting with a P row, and knitting 1 st at each end of every row, work in stocking stitch until Mitt measures 9 cm, ending with a P row.

Shape top as follows: **1st row**—K1, (K2togtbl, K17 [19], K2tog) twice, K1. **2nd and every alt row**—K1, P to last st, K1. **3rd row**—K1, (K2togtbl, K15 [17], K2tog) twice, K1.

5th row—K1, (K2togtbl, K13 [15], K2tog) twice, K1. **7th row**—K1, (K2togtbl, K11 [13], K2tog) twice, K1. **9th row**—K1, (K2togtbl, K9 [11], K2tog) twice, K1. Cast off.

TO MAKE UP

For pressing instructions, see first page of text.

Join seam.

Cut ribbon and thread through holes at wrist.

16

Loop-trimmed bootees

Materials: Patons Beehive Double Knitting, 1 (50) gram ball or Patons Fairytale Double Knitting, 2 (20 gram) balls.

Pair each Nos 3¼ mm and 4 mm Milward needles. Needle sizes quoted are Metric: equivalent UK sizes are No 10 for 3¼ mm and No 8 for 4 mm.

Measurements: Length of foot, 11 cm (4½ in).

Tension: On No 4 mm needles, 22 sts and 30 rows to 10 cm (stocking stitch).

For notes and abbreviations, see first page of text.

Special abbreviation

ML=make loop as follows: K next st winding yarn over needle and first finger of left-hand twice, then over needle again, draw 3 loops through, then place loops back on left needle and K them together through back of loops.

With No 4 mm needles, cast on 35 sts.

1st row—(Right side), P. **2nd row**—* K1, ML; rep from * to last st, K1. **3rd row**—P. **4th row**—K2, * ML, K1; rep from * to last st, K1.

Rep these 4 rows once more, then 1st and 2nd rows again.

Next row—P6, * P2tog, P5; rep from * to last 8 sts, P2tog, P6 (31 sts).

Change to No 3¼ mm needles and work 8 rows in K1, P1 rib, rows on right side having a K1 at each end.

Change to No 4 mm needles and divide for foot: **Next row**—K7, (K2tog) twice, K9, K2tog, turn. **Next row**—P11, turn.

Starting with a K row, work 16 rows on these sts. Break yarn. Leave sts on a safety-pin.

With right side facing, rejoin yarn to inside edge where 8 sts were left and **knit up** 12 sts along side of foot, K11 from safety-pin, **knit up** 12 sts along other side of foot, then K2tog, K7 (51 sts).

Starting with a P row, work 7 rows in stocking stitch.

Shape foot: **1st row**—K1, K2tog, K19, K2tog, K3, K2togtbl, K19, K2togtbl, K1. **2nd row**—P.

3rd row—K1, K2tog, K17, K2tog, K3, K2togtbl, K17, K2togtbl, K1. **4th row**—P. **5th row**—K1, K2tog, K15, K2tog, K3, K2togtbl, K15, K2togtbl, K1. Cast off.

TO MAKE UP

For pressing instructions, see first page of text.

Join leg and foot seam. Fold loop trim to right side.

17

Colour-patterned socks

Materials: Patons Beehive Knits as 4 ply, 1 (50 gram) ball in Main Shade and oddment of 1st and 2nd Contrasts, or Patons Fairytale 4 ply, 2 (20 gram) balls in Main Shade and oddment of 1st and 2nd Contrasts.

Pair each Nos 3 mm and 3¼ mm Milward needles. Needle sizes quoted are Metric: equivalent UK sizes are No 11 for 3 mm and No 10 for 3¼ mm.

Measurements: Length of foot 10 cm (4 in).

Tension: On No 3¼ mm needles, 28 sts and 36 rows to 10 cm (stocking stitch).

For notes and abbreviations, see first page of text.

Special abbreviations

MS=Main Shade; 1st C=1st Contrast; 2nd C=2nd Contrast.

Note

When working colour patt, carry colour not in use loosely up side of work.

With No 3 mm needles and MS, cast on 37 sts and work 3 rows in K1, P1 rib, rows on right side having a K1 at each end.

Change to No 3¼ mm needles and P 1 row.

Now work in **patt:** **1st row**—(Right side), In 1st C, K2, * sL1P, K3; rep from * to last 3 sts, sL1P, K2. **2nd row**—In 1st C, P2, * sL1P, P3; rep from * to last 3 sts, sL1P, P2.

3rd row—In MS, K4, * sL1P, K3; rep from * to last st, K1. **4th row**—In MS, P4, * sL1P, P3; rep from * to last st, P1.

5th row—In 2nd C, K2, * sL1P, K3; rep from * to last 3 sts, sL1P, K2. **6th row**—In 2nd C, P2, * sL1P, P3; rep from * to last 3 sts, sL1P, P2.

7th row—In MS, K. **8th row**—In MS, P. These 8 rows form patt.

Rep these 8 rows twice more, then 1st to 6th row again.

Divide for foot: **Next row**—In MS, K8, (K2tog) twice, K13, turn. **Next row**—In MS, P13, turn.

Starting with a 1st row, work 20 rows in patt on these sts. Break yarns. Leave sts on a safety-pin.

With right side facing, rejoin MS to inside edge where 10 sts were left and **knit up** 14 sts along side of foot, K2tog, K9, K2tog from safety-pin, **knit up** 14 sts along other side of foot, then (K2tog) twice, K8 (59 sts).

Starting with a P row, work 7 rows in stocking stitch.

Shape foot: **1st row**—K2, K2tog, K21, K2tog, K5, K2togtbl, K21, K2togtbl, K2. **2nd row**—P.

3rd row—K2, K2tog, K19, K2tog, K5, K2togtbl, K19, K2togtbl, K2. **4th row**—P. **5th row**—K2, K2tog, K17, K2tog, K5, K2togtbl, K17, K2togtbl, K2. **6th row**—P. Cast off.

TO MAKE UP

For pressing instructions, see first page of text.

Join leg and foot seams.

With right side facing, rejoin MS to inside edge where 8 sts were left and **knit up** 12 sts along side of foot, K11 from safety-pin, **knit up** 12 sts along other side of foot, then K2togtbl, K7 (51 sts).

Starting with a P row, work 7 rows in stocking stitch.

Shape foot as follows: **1st row**—K1, K2tog, K19, K2tog, K3, K2togtbl, K19, K2togtbl, K1. **2nd row**—P. **3rd row**—K1, K2tog, K17, K2tog, K3, K2togtbl, K17, K2togtbl, K1. **4th row**—P. **5th row**—K1, K2tog, K15, K2tog, K3, K2togtbl, K15, K2togtbl, K1.

Cast off.

TO MAKE UP

For pressing instructions, see first page of text.

Join leg and foot seams.

19

Socks with animal face

Materials: Patons Beehive Knits as 4 ply, 1 (50 gram) ball in Main Shade and oddment of 1st and 2nd Contrasts or Patons Fairytale 4 ply, 2 (20 gram) balls in Main Shade and oddment of 1st and 2nd Contrasts.

Pair each Nos 3 mm and 3¼ mm Milward needles. Needle sizes quoted are Metric: equivalent UK sizes are No 11 for 3 mm and No 10 for 3¼ mm.

Measurements: Length of foot 10 cm (4 in).

Tension: On No 3¼ mm needles, 28 sts and 36 rows to 10 cm (stocking stitch).

For notes and abbreviations, see first page of text.

Special abbreviations

MS=Main Shade; 1st C=1st Contrast; 2nd C=2nd Contrast.

With No 3 mm needles and MS, cast on 37 sts and work 20 rows in K1, P1 rib, rows on right side having a K1 at each end.

Change to No 3¼ mm needles and divide for foot: **Next row**—K8, (K2tog) twice, K13, turn. **Next row**—P13, turn.

Starting with a K row, work 20 rows in stocking stitch on these sts. Break yarn. Leave sts on a safety-pin.

With right side facing, rejoin yarn to inside edge where 10 sts were left and **knit up** 14 sts along side of foot, K2tog, K9, K2tog from safety-pin, **knit up** 14 sts along other side of foot, then (K2tog) twice, K8 (59 sts).

Starting with a P row, work 7 rows in stocking stitch.

Shape foot: **1st row**—K2, K2tog, K21, K2tog, K5, K2togtbl, K21, K2togtbl, K2. **2nd row**—P.

3rd row—K2, K2tog, K19, K2tog, K5, K2togtbl, K19, K2togtbl, K2. **4th row**—P. **5th row**—K2, K2tog, K17, K2tog, K5, K2togtbl, K17, K2togtbl, K2. **6th row**—P. Cast off.

EARS (2 in 1st C, 2 in 2nd C)

With No 3¼ mm needles, cast on 3 sts.

18

Bobble-patterned socks

Materials: Patons Beehive Double Knitting, 1 (50 gram) ball in Main Shade and oddment of 1st and 2nd Contrasts or Patons Fairytale Double Knitting, 2 (20 gram) balls in Main Shade and oddment of 1st and 2nd Contrasts.

Pair each Nos 3¼ mm and 4 mm Milward needles. Needle sizes quoted are Metric: equivalent UK sizes are No 10 for 3¼ mm and No 8 for 4 mm.

Measurements: Length of foot, 11 cm (4½ in).

Tension: On No 4 mm needles, 22 sts and 30 rows to 10 cm (stocking stitch).

For notes and abbreviations, see first page of text.

Special abbreviations

MS=Main Shade; 1st C=1st Contrast; 2nd C=2nd Contrast.

MB=Make Bobble as follows: K1 P1 K1 into next st, turn, K3, turn, K3, then slip 2nd and 3rd st over first st.

Note

Carry colour not in use loosely across wrong side of work.

With No 3¼ mm needles and MS, cast on 31 sts and work 4 rows in K1, P1 rib, rows on right side having a K1 at each end.

Change to No 4 mm needles and joining in and breaking off colours as required, work in **patt** as follows:

1st row—(Right side), In MS, K. **2nd row**—In MS, P. **3rd row**—In MS, K3, * in 1st C MB, in MS K5; rep from * to last 4 sts, in 1st C MB, in MS K3.

4th row—In MS, P. **5th to 8th row**—In MS, as 1st and 2nd rows twice. **9th row**—In MS, K6, * in 2nd C MB, in MS K5; rep from * to last 7 sts, in 2nd C MB, in MS K6.

10th row—In MS, P. **11th and 12th rows**—In MS, as 1st and 2nd.

Rep 1st to 10th row once more.

Divide for foot as follows: **Next row**—In MS, K7, (K2tog) twice, K9, K2tog, turn. **Next row**—In MS, P11, turn.

Work on these 11 sts as follows: In MS, starting with a K row, work 2 rows stocking stitch.

Next row—In MS K5, in 1st C MB, in MS K5. In MS, starting with a P row, work 5 rows stocking stitch.

Next row—In MS K2, in 2nd C MB, in MS K5, in 2nd C MB, in MS K2. In MS, starting with a P row, work 5 rows stocking stitch.

Next row—In MS K5, in 1st C MB, in MS K5.

Next row—In MS, P. Break MS, 1st and 2nd C. Leave sts on a safety-pin.

1st row—Inc in first st, K1, inc in last st. **2nd row**—K. **3rd row**—K1, M1, K3, M1, K1 (7 sts).
Work 6 rows in garter stitch (every row K).

Now dec 1 st at each end of next and following alt row. K 1 row.

Next row—K3tog and fasten off.

TO MAKE UP

For pressing instructions, see first page of text.

Join leg and foot seams. Join together 1 ear piec in 1st C and 1 in 2nd C, gather at base and sew ear in position at ankle. Embroider eyes and make whiskers as in photograph.

20

Cable-patterned socks

Materials: Patons Beehive Double Knitting, 1 (50 gram) ball, or Patons Fairytale Double Knitting, 2 (20 gram) balls.

Pair each Nos 3¼ mm and 4 mm Milward needles. Needle sizes quoted are Metric: equivalent UK sizes are No 10 for 3¼ mm and No 8 for 4 mm. Cable pin.

Measurements: Length of foot, 11 cm (4½ in).

Tension: On No 4 mm needles, 22 sts and 30 rows to 10 cm (stocking stitch).

For notes and abbreviations, see first page of text.

Special abbreviation

Cr6=slip next 4 sts on cable pin to front of work, K2, then slip 2 P sts from cable pin back on to left needle, pass remaining 2 sts on cable pin to back of work, P2 from left needle, then K2 from cable pin.

With No 3¼ mm needles, cast on 31 sts and work 3 rows in K1, P1 rib, rows on right side having a K1 at each end.

Next row—Rib 7, * M1, rib 8; rep from * to last 8 sts, M1, rib to end (34 sts).

Change to No 4 mm needles and work in patt as follows: **1st row**—(Right side), P3, * K2, P2, K2, P5; rep from * to last 9 sts, K2, P2, K2, P3.

2nd row—K3, * P2, K2, P2, K5; rep from * to last 9 sts, P2, K2, P2, K3. **3rd row**—P3, * Cr6, P5; rep from * to last 9 sts, Cr6, P3. **4th row**—As 2nd.

5th to 8th row—Rep 1st and 2nd rows twice. These 8 rows form patt.

Rep these 8 rows once more, then 1st to 5th row again.

Next row—K1, K2tog, * P2, K2, P2, K5; rep from * to last 9 sts, P2, K2, P2, K2tog, K1 (32 sts).

Divide for foot as follows: **Next row**—P7, (P2tog) twice, (P2, K2) twice, P2, P2tog, turn. **Next row**—Patt 12, turn.

Work 16 rows in patt on these sts. Break yarn. Leave sts on a safety-pin.

With right side facing, rejoin yarn to inside edge where 8 sts were left and **knit up** 12 sts along side of foot, P5, P2tog, P5 from safety-pin, **knit up** 12 sts along other side of foot, then P2tog, P7 (51 sts).

Starting with a K row, work 7 rows in reverse stocking stitch.

Shape foot as follows: **1st row**—P1, P2tog, P19, P2tog, P3, P2togtbl, P19, P2togtbl, P1. **2nd row**—K.

3rd row—P1, P2tog, P17, P2tog, P3, P2togtbl, P17, P2togtbl, P1. **4th row**—K. **5th row**—P1, P2tog, P15, P2tog, P3, P2togtbl, P15, P2togtbl, P1.

Cast off.

TO MAKE UP

For pressing instructions, see first page of text.

Join leg and foot seams.

Special abbreviations

MS=Main Shade; C=Contrast.

UPPER SECTION

With MS, cast on 8 sts and work 20 rows in garter stitch (every row K). Break yarn. Slip these sts on a safety-pin.

Work another piece the same, but leave sts on needle.

Next row—K8, cast on 5 sts, K across 8 sts from safety-pin (21 sts). Work 13 rows in garter stitch.

Now dec 1 st at each end of next and every following alt row until 9 sts remain. Place a marker at each end of last row. Work 1 row.

Now inc 1 st at each end of next and every alt row until there are 15 sts.

Work 30 rows in garter stitch for sole.

Now dec 1 st at each end of next and every following 4th row until 9 sts remain. Work 1 row. Place a 2nd set of markers at each end of last row.

Work 16 rows in garter stitch to form heel piece.

Next row—Cast on 14 sts, K across these sts, K to end. **Next row**—Cast on 14 sts, K across these sts, K to last 3 sts, yfwd, K2tog, K1. **Next row**—K. Cast off.

CONTRAST TRIM

With right side facing and MS, **knit up** 12 sts along side of first upper piece, 5 sts across 5 cast-on sts and 12 sts along side of second upper piece (29 sts).

Break MS and join in C.

Next row—In C, * P1, K1; rep from * to last st, P1. **Next row**—In C, * K1, (yfn) twice, P1; rep from * to last st, K1.

Next row—* P1, K1; P into yfn, K into yfn of previous row; rep from * to last st, P1.

Cast off evenly in rib.

TO MAKE UP

For pressing instructions, see first page of text.

Fold work at first set of markers and join side edges of upper section to side edges of sole as far as start of heel piece. Stitch side edges of heel piece from 2nd set of markers to the cast-on groups of 8 sts.

Catch down edge of trim to back.

Sew on button.

Work a second slipper to match making buttonhole at opposite end of strap.

22

Sleeved and sleeveless cardigans

Materials: Patons Fairytale Double Knitting, **Sleeved Version:** 4 [4] (20 gram) balls in Main Shade and 2 [3] (20 gram) balls in Contrast, **Sleeveless Version:** 3 [4] (20 gram) balls in Main Shade and 2 [2] (20 gram) balls in Contrast, or Patons Beehive Double Knitting, **Sleeved Version:** 2 [2] (50 gram) balls in Main Shade and 1 [2] (50 gram) balls in Contrast, **Sleeveless Version:** 2 [2] (50 gram) balls in Main Shade and 1 [1] (50 gram) ball in Contrast.

Pair each Nos 3¼ mm and 4 mm Milward needles. Needle sizes quoted are Metric: equivalent UK sizes are No 10 for 3¼ mm and No 8 for 4 mm. 5 buttons.

Measurements: To fit chest 46 [51] cm (18 [20] in); garment measures 46 [52] cm (18 [20½] in); length from top of shoulders, 26 [28] cm (10¼ [11¼] in); sleeve seam, 15 [18] cm (6 [7] in).

Tension: On No 4 mm needles, 22 sts and 30 rows to 10 cm (stocking stitch).

For notes and abbreviations, see first page of text.

Special abbreviations

MS=Main Shade; C=Contrast.

Note

When working in colour patt, carry yarn not in use loosely up side of work.

Sleeved Version

BACK

** With No 3¼ mm needles and MS, cast on 49 [57] sts and work in K1, P1 rib for 4 cm, rows on right side having a K1 at each end.

Next row—Rib 7 [8], (M1, rib 12 [14]) 3 times, M1, rib to end (53 [61] sts).

21

Slippers with ankle trim

Materials: Patons Beehive Knits as 4 ply, 1 (50 gram) ball in Main Shade and oddment of Contrast or Patons Fairytale 4 ply, 1 (20 gram) ball in Main Shade and oddment of Contrast.

Pair No 3¼ mm Milward needles. Needle size quoted is Metric: equivalent UK size is No 10. 2 buttons.

Measurements: Length of foot 7 cm (3 in).

Tension: On No 3¼ mm needles, 12½ sts and 25 rows to 5 cm (garter stitch).

For notes and abbreviations, see first page of text.

Change to No 4 mm needles and joining in C as required, work in **patt** as follows: **1st row**—(Right side), in MS, K. **2nd row**—In MS, K.

3rd row—In C, K2, * kyb sL1P, K3; rep from * to last 3 sts, kyb sL1P, K2. **4th row**—In C, P2, kyft sL1P, * P3, kyft sL1P; rep from * to last 2 sts, P2. **5th row**—As 1st. **6th row**—As 2nd.

7th row—In C, K4, * kyb sL1P, K3; rep from * to last st, K1. **8th row**—In C, P4, * kyft sL1P, P3; rep from * to last st, P1.

These 8 rows form patt.

Continue in patt until Back measures 16 [17] cm, ending with right side facing for next row.**

Keeping continuity of patt, **shape armholes** by casting off 3 sts at beg of next 2 rows.

Dec 1 st at each end of next 3 rows, then on following 0 [2] alt rows (41 [45] sts).

Work straight until Back measures 26 [28] cm, ending with right side facing for next row.

Shape shoulders by casting off 3 [4] sts at beg of next 4 rows, then 4 [3] sts at beg of next 2 rows. Cast off remaining 21 [23] sts.

LEFT FRONT

** With No 3¼ mm needles and MS, cast on 23 [27] sts and work in K1, P1 rib for 4 cm, rows on right side having a K1 at each end.

Next row—Rib 6 [7], M1, rib 11 [13], M1, rib 6 [7] (25 [29] sts).

Change to No 4 mm needles and joining in C as required, work in patt as for Back until Front matches Back to start of armhole shaping, ending with right side facing for next row.**

Keeping continuity of patt, **shape armhole** and **front slope** as follows: **Next row**—Cast off 3 sts, patt to end. **Next row**—Work 2tog, patt to end.

Dec 1 st at armhole edge on next 3 rows, then on following 0 [2] alt rows, **at the same time** dec 1 st at front edge on every following 4th row from previous dec until 10 [11] sts remain.

Work a few rows straight until Front matches Back to start of shoulder shaping, ending with right side facing for next row.

Shape shoulder by casting off 3 [4] sts at beg of next and following alt row. Work 1 row. Cast off remaining 4 [3] sts.

RIGHT FRONT

Work to match Left Front, reversing shapings.

SLEEVES

With No 3¼ mm needles and MS, cast on 28 [32] sts and work in K1, P1 rib for 4 cm.

Next row—Rib 4, (M1, rib 5 [6]) 4 times, M1, rib to end (33 [37] sts).

Change to No 4 mm needles and joining in C as required, work in patt as for Back, shaping sides by inc 1 st at each end of 5th and every following 5th [7th] row until there are 45 [47] sts, taking inc sts into patt.

Work straight in patt until sleeve seam measures 15 [18] cm, ending with right side facing for next row.

Keeping continuity of patt, **shape top** by casting off 3 sts at beg of next 2 rows.

Dec 1 st at each end of next row. Work 1 [3] rows.

Now dec 1 st at each end of next and every alt row until 15 sts remain. Work 1 row. Cast off.

MAKE UP AND BORDERS

For pressing instructions, see first page of text.

Join shoulder seams.

Button Border: With right side facing, No 3¼ mm needles and MS, cast on 7 sts and work in rib as follows:

1st row—(Right side), K2, * P1, K1; rep from * to last st, K1. **2nd row**—K1, * P1, K1; rep from * to end.

Rep these 2 rows until Border, when slightly stretched, fits up right front edge and round to centre back of neck. Sew in position as you go along. Cast off evenly in rib.

Buttonhole Border: Work as for Button Border with the addition of 5 buttonholes, first to come 1 cm up from lower edge, 5th to come 4 rows below start of front slope shaping and remainder spaced evenly between.

First mark position of buttons on Button Border with pins to ensure even spacing, then work buttonholes to correspond.

To make a buttonhole—(Right side), rib 3, yrn, P2tog, rib to end.

Join side and sleeve seams. Insert Sleeves. Sew on buttons.

Sleeveless Version

BACK

Work as for Back of Sleeved Version from ** to **.

Keeping continuity of patt, **shape armholes** by casting off 3 sts at beg of next 2 rows.

Dec 1 st at each end of next 3 rows, then on following 2 [4] alt rows (37 [41] sts).

Work straight until Back measures 26 [28] cm, ending with right side facing for next row.

Shape shoulders by casting off 3 sts at beg of

next 4 rows, then 2 [3] sts at beg of next 2 rows. Cast off remaining 21 [23] sts.

LEFT FRONT

Work as for Left Front of Sleeved Version from ** to **.

Keeping continuity of patt, **shape armhole** and **front slope** as follows: **Next row**—Cast off 3 sts, patt to end. **Next row**—Work 2tog, patt to end.

Dec 1 st at armhole edge on next 3 rows, then on following 2 [4] alt rows, **at the same time** dec 1 st at front edge on every following 4th row from previous dec until 8 [9] sts remain.

Work straight in patt until Front matches Back to start of shoulder shaping, ending with right side facing for next row.

Shape shoulder by casting off 3 sts at beg of next and following alt row. Work 1 row. Cast off remaining 2 [3] sts.

RIGHT FRONT

Work to match Left Front, reversing shapings.

MAKE UP AND BORDERS

For pressing instructions, see first page of text.

Join shoulder seams.

Armhole Borders: With right side facing, No 3¼ mm needles and MS, **knit up** 62 [64] sts all round each armhole.

Work 4 rows in K1, P1 rib. Cast off evenly in rib.

Button and Buttonhole Border: As for Sleeved Version.

Join side seams. Sew on buttons.

23

Sweater with back opening

Materials: Patons Fairytale Quickerknit: **Striped Version:** 3 [3] (20 gram) balls in Main Shade and 2 [2] (20 gram) balls in Contrast. **Plain Version:** 4 [4] (20 gram) balls.

Pair each Nos 3 mm and 3¼ mm Milward needles. Needle sizes quoted are Metric: equivalent UK sizes are No 11 for 3 mm and No 9 for 3¼ mm.

3 buttons.

Measurements: To fit chest 46 [51] cm (18 [20] in); garment measures 46 [51] cm (18 [20] in); length from top of shoulders, approx 24 [27] cm (9½ [10½] in); sleeve seam, approx 15 [18] cm (6 [7] in).

Tension: On No 3¼ mm needles, 26 sts and 34 rows to 10 cm (stocking stitch).

For notes and abbreviations, see first page of text.

Special abbreviations

MS=Main Shade; C=Contrast.

Note

Carry yarn not in use loosely up side of work.

Striped Version

BACK

** With No 3 mm needles and MS, cast on 58 [64] sts and work in K1, P1 rib for 3 cm.

Next row—Rib 14 [11], M1, (rib 29 [21], M1) 1 [2] times, rib to end (60 [67] sts).

Change to No 3¼ mm needles and joining in C as required work in **stripe patt** as follows: **1st row**—(Wrong side), in MS, K1 [2]. * P3, K2; rep from * to last 4 [0] sts, P3 [0], K1 [0].

2nd row—In MS, P1 [2], * K1, yfwd, sL1K, K1, pssso, P2; rep from * to last 4 [0] sts, (K1, yfwd, sL1K, K1, pssso) 1 [0] time, P1 [0]. **3rd row**—As 1st.

4th row—In MS, P1 [2], * K2tog, yfwd, K1, P2; rep from * to last 4 [0] sts, (K2tog, yfwd, K1) 1 [0] time, P1 [0]. **5th to 8th row**—As 1st to 4th. **9th to 12th row**—In C, as 1st to 4th.

These 12 rows form stripe patt.

Continue in patt until Back measures approx 14 [16] cm, ending with a 1st [9th] row of patt.**

Keeping continuity of patt, **shape raglans** and **divide for back opening** as follows: **Next row**—Cast off 3 sts, patt 25 [28] (including st on needle after cast-off), turn and leave remaining sts on a spare needle.

Continue on these sts for first side and work 1 row.

1st size: Dec 1 st at raglan edge **only** on next row. Work 3 rows.

Both sizes: Dec 1 st at raglan edge **only** on next and every alt row until 9 sts remain, ending with right side facing. Leave sts on a safety-pin.

With right side facing, slip centre 4 [5] sts on a safety-pin, rejoin appropriate colour to remaining sts, patt to end.

Work to match first side, reversing shapings.

FRONT

Work as for Back from ** to **.

Keeping continuity of patt, **shape raglans** by casting off 3 sts at beg of next 2 rows.

1st size: Dec 1 st at each end of next row. Work 3 rows.

Both sizes: Dec 1 st at each end of next and every alt row until 34 [37] sts remain, ending with right side facing for next row.

Keeping continuity of patt, **divide for neck** as follows: **Next row**—Work 2tog, patt 9 [10], turn and leave remaining sts on a spare needle.

Dec 1 st at each end of every alt row until 4 [5] sts remain.

Now dec 1 st at raglan edge **only** on every alt row until 2 sts remain. **Next row**—In patt. **Next row**—Work 2tog and fasten off.

With right side facing, slip centre 12 [13] sts on a spare needle, rejoin appropriate colour to remaining sts; patt to last 2 sts, work 2tog.

Work to match first side, reversing shapings.

SLEEVES

With No 3 mm needles and MS, cast on 32 [34] sts and work in K1, P1 rib for 3 cm.

Next row—Rib 4 [3], M1, (rib 6 [4], M1) 4 [7] times, rib to end (37 [42] sts).

Change to No 3 3/4 mm needles, join in C as required and starting with a 9th [7th] row of stripe patt, work as for 2nd size on Back, shap- ing sides by inc 1 st at each end of 4th and every following 7th [12th] row until there are 47 [50] sts, taking inc sts into patt.

Work straight until sleeve seam measures approx 15 [18] cm, ending with same patt row as on Back and Front at start of raglan shap- ing.

Keeping continuity of patt, **shape raglans** by casting off 3 sts at beg of next 2 rows.

Dec 1 st at each end of next and every alt row until 9 [6] sts remain, ending with right side facing for next row.

1st size: Dec 1 st at each end of next 2 rows (5 sts).

Both sizes: Leave sts on a safety-pin.

MAKE UP AND BORDERS

For pressing instructions, see first page of text.

Join raglans.

Neck Border: With right side facing, No 3 mm needles and MS, K9 sts from left back, 5 [6] from left sleeve, **knit up** 7 [9] sts down left side of neck, K12 [13] from front inc 1 [0] st at centre, **knit up** 7 [9] sts up right side of neck, K5 [6] from right sleeve, K9 from right back (55 [61] sts).

Work in P1, K1, rib for 4 cm, rows on **wrong** side having a P1 at each end. Using a No 3 3/4 mm needle, cast off loosely in rib.

Fold Neck Border in half to wrong side and slip-hem loosely in position.

Join side and sleeve seams.

Button Border: With No 3 mm needles and MS, cast on 7 sts and work in rib as follows: **1st row**—K2, (P1, K1) twice, K1. **2nd row**—(K1, P1) 3 times, K1.

Rep last 2 rows until Border, when slightly stretched, fits up left back for Girl, right back for Boy to top of Neck Border. Sew in position as you go along. Cast off evenly in rib.

Buttonhole Border: With right side facing, No 3 mm needles and MS, K across 4 [5] centre back sts inc 3 [2] sts evenly (7 sts).

Starting with a 2nd row, work in rib as for Button Border, with the addition of 3 but- tonholes, first to come 1 cm up from start of back opening, 3rd at centre of Neck Border and 2nd spaced evenly between.

First mark position of buttons on Button Bor- der with pins to ensure even spacing, then work buttonholes to correspond.

To make a buttonhole—(Right side), rib 3, yrn, P2tog, rib to end.

Sew on buttons.

Plain Version

Work as for Striped Version, using one colour throughout.

WASHING AND CARING FOR PATONS YARNS

Hand washing is always best. For yarns made mainly of wool use warm water, a warm rinse, squeeze out between towels or spin-dry (normal cycle), then dry flat after easing into shape. Do not dry in direct heat (radiators or fires). Do not dry white handknits in direct sunlight. For yarns made mainly of acrylics it is important that you rinse in cold water and if you spin-dry use the short cycle.

A great many people now use wash- ing machines. The ball band will show whether the yarn you have chosen is suitable for machine- washing: if it is, follow these four "golden rules".

1. Make sure the garment is knitted correctly according to the Patons pattern, on the correct needles to the correct tension.
2. Don't have the water hotter than the recommended temperature.
3. Use the machine on a gentle cycle.
4. Don't leave the garment in the machine too long.

The wrappers on all Patons yarns show the appropriate International Textile Care Labelling Code symbols for the yarn. Examples are shown here. The latest automatic machines have these International Care Sym- bols, and provided your machine is not connected to the domestic hot water supply (when you need to be careful about the heat) all you have to

do is match the programme to our symbols. Older types of machine will not have these controls and it may be more difficult to ensure the correct combination of temperature, agita- tion and time.

If you are in any way unsure about the application of the symbols to your machine it is safest to hand- wash.

WASH SYMBOLS

	Machine	Hand wash
	Warm (40°C)	Warm (40°C)
	Maximum wash	
	Normal rinse and spin	
	Warm (40°C)	Warm (40°C)
	Minimum wash	
	Coldrinse	Short spin Do not wring
	Warm (40°C)	Warm (40°C)
	Minimum wash	Do not rub
	Spin	Do not rub or hand-wring
	Dry flat	

Hand wash only	
	Warm (40°C)
	Warmrinse Do not rub or hand-wring
	Dry flat
BLEACH SYMBOLS	
	Household bleach can be used
IRONING SYMBOLS	
	Do not bleach
	Cool Iron (120°C)
DRY CLEANING SYMBOLS	
	Warm Iron (160°C)
	Do not iron
DRY CLEANING SYMBOLS	
	Dry cleanable in all solvents
	Dry cleanable in certain solvents
	Consult cleaner
DRY CLEANING SYMBOLS	
	Do not dry clean

We shall be happy to deal with your queries if you write to Sarah Bell, Patons & Baldwins Limited, Alloa, Scotland, enclosing a ball band of the yarn specified and a stamped addressed envelope.

PUBLISHED BY PATONS & BALDWIN'S LIMITED

Made and printed in Great Britain by Lund Humphries, Bradford and London

A NEW TRADITION

Classic Aran patterning is used for this baby's sweater which is worn with simple ribbed shorts. The sweater, in first and second sizes, has useful shoulder buttoning.






10

CLEVER TOUCH

A stripe pattern gives a co-ordinated look to a classic raglan sweater and a sleeveless all-in-one.



11




12

TAKE YOUR PICK

Choose a pretty lacy cross-over cardigan, or a modern dungaree set with a fun motif of teddy bears, plus sweater and socks.

PRETTY AS A PICTURE

Choose from three lace-stitch designs – a ribbon-trimmed dress with pretty matching shoes and a plain pilch, a dress with lace patterned skirt with embroidered detail, plus pilch and shoes, and a pram set with lacy coat and bonnet, plain mitts and leggings.



13



14



BABY FAIR

A collection of traditional and modern designs for baby, from fun socks with animal faces to booties with loop stitch trimming. Plus an easy stitch texture pattern for a sleeved and sleeveless cardigan.

16



17



19



18



20



21






22



 **Patons**

235 PRICE CODE

BABY CHOICE



23

TWICE
AS
NICE

A face-ribbed sweater,
either striped or plain,
which will be warm and
cosy for your baby,
in Patons Fairytale
Quickerknit.